RCS file: /p/cvsroot/atlas/BOM,v
Working file: atlas/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 7.0
keyword substitution: kv
total revisions: 1799; selected revisions: 4
description:
----
revision 2.82
date: 1995/03/03 00:58:34; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 2.81
date: 1995/03/02 22:06:15; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/doc
        map.ht

Draft of automatic mapping flow
----
revision 2.80
date: 1995/03/02 20:24:51; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/doc
        map.ht

Added flow chart
----
revision 2.79
date: 1995/03/02 02:42:16; author: tom; state: Exp; lines: +5 -1
Release Target: atlas/ged

The release is primarily to get a new master.local file that includes the
`xl' section.
==

RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v
Working file: atlas/compass/layouts/atlas.db
head: 1.136
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.136
keyword substitution: kv
total revisions: 136;   selected revisions: 1
description:
----
revision 1.9
date: 1995/03/01 21:23:37; author: chip; state: Exp; lines: +47 -45
periodic checkin of Wed Mar 1 13:23:36 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm8t.ly,v
Working file: atlas/compass/layouts/csm8t.ly
head: 4.3
branch:
locks: strict

```
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 4.1
date: 1995/03/03 14:34:06;  author: chip;  state: Exp;
periodic checkin of Fri Mar  3 06:34:03 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/csm8twl.ly,v
Working file: atlas/compass/layouts/csm8twl.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.2
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 4.1
date: 1995/03/03 14:34:08;  author: chip;  state: Exp;
periodic checkin of Fri Mar  3 06:34:03 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/csm8tx2.ly,v
Working file: atlas/compass/layouts/csm8tx2.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.2
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 4.1
date: 1995/03/03 14:34:11;  author: chip;  state: Exp;
periodic checkin of Fri Mar  3 06:34:03 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/guardring.ly,v
Working file: atlas/compass/layouts/guardring.ly
head: 2.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;      selected revisions: 1
description:
----------------------------
revision 2.8
date: 1995/03/02 23:15:36;  author: chip;  state: Exp;  lines: +5 -5
periodic checkin of Thu Mar  2 15:15:34 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/padintvdd.ly,v
Working file: atlas/compass/layouts/padintvdd.ly
```

head: 4.16
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.16
keyword substitution: kv
total revisions: 16;   selected revisions: 2
description:
----
revision 4.2
date: 1995/02/28 23:25:28; author: chip; state: Exp; lines: +5 -48
periodic checkin of Tue Feb 28 15:25:25 PST 1995
----
revision 4.1
date: 1995/02/28 23:10:04; author: chip; state: Exp;
periodic checkin of Tue Feb 28 15:10:01 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/padintvss.ly,v
Working file: atlas/compass/layouts/padintvss.ly
head: 4.17
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.17
keyword substitution: kv
total revisions: 17;   selected revisions: 2
description:
----
revision 4.2
date: 1995/02/28 23:25:29; author: chip; state: Exp; lines: +5 -45
periodic checkin of Tue Feb 28 15:25:25 PST 1995
----
revision 4.1
date: 1995/02/28 23:10:06; author: chip; state: Exp;
periodic checkin of Tue Feb 28 15:10:01 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/padm3.ly,v
Working file: atlas/compass/layouts/padm3.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.9
keyword substitution: kv
total revisions: 9;   selected revisions: 1
description:
----
revision 4.1
date: 1995/02/28 23:14:00; author: chip; state: Exp;
periodic checkin of Tue Feb 28 15:13:56 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v
Working file: atlas/compass/layouts/padvdd.ly
head: 2.38
branch:
locks: strict
access list:

```
                            ca Feb 28-Mar 6 1995.log
symbolic names:
        b4_rich: 2.38
keyword substitution: kv
total revisions: 38;    selected revisions: 1
description:
----------------------------
revision 2.4
date: 1995/02/28 23:17:57;  author: chip;  state: Exp;  lines: +6 -7
periodic checkin of Tue Feb 28 15:17:52 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_31x1.ly,v
Working file: atlas/compass/layouts/uh_31x1.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;     selected revisions: 1
description:
----------------------------
revision 4.1
date: 1995/03/01 18:48:33;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 10:48:29 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_32x1.ly,v
Working file: atlas/compass/layouts/uh_32x1.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;     selected revisions: 1
description:
----------------------------
revision 4.1
date: 1995/03/01 18:48:36;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 10:48:29 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v
Working file: atlas/compass/layouts/vlsi.log
head: 1.3654
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.3654
keyword substitution: kv
total revisions: 3654;  selected revisions: 80
description:
----------------------------
revision 1.305
date: 1995/03/03 14:36:36;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Fri Mar  3 06:36:33 PST 1995
----------------------------
revision 1.304
date: 1995/03/03 14:34:13;  author: chip;  state: Exp;  lines: +6 -0
periodic checkin of Fri Mar  3 06:34:03 PST 1995
----------------------------
```

revision 1.303
date: 1995/03/02 23:12:20; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 2 15:12:17 PST 1995
----
revision 1.302
date: 1995/03/02 21:57:32; author: chip; state: Exp; lines: +40 -0
periodic checkin of Thu Mar 2 13:57:23 PST 1995
----
revision 1.301
date: 1995/03/02 21:55:34; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 2 13:55:30 PST 1995
----
revision 1.300
date: 1995/03/02 21:53:10; author: chip; state: Exp; lines: +44 -0
periodic checkin of Thu Mar 2 13:52:59 PST 1995
----
revision 1.299
date: 1995/03/02 21:50:29; author: chip; state: Exp; lines: +44 -0
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 1.298
date: 1995/03/02 21:48:09; author: chip; state: Exp; lines: +46 -0
periodic checkin of Thu Mar 2 13:48:02 PST 1995
----
revision 1.297
date: 1995/03/02 21:44:09; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 2 13:44:06 PST 1995
----
revision 1.296
date: 1995/03/02 21:42:24; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 2 13:42:21 PST 1995
----
revision 1.295
date: 1995/03/02 21:40:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 2 13:40:35 PST 1995
----
revision 1.294
date: 1995/03/02 21:38:52; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 2 13:38:49 PST 1995
----
revision 1.293
date: 1995/03/02 21:37:08; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 2 13:37:04 PST 1995
----
revision 1.292
date: 1995/03/02 21:35:21; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 2 13:35:18 PST 1995
----
revision 1.291
date: 1995/03/02 21:31:59; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 2 13:31:56 PST 1995
----
revision 1.290
date: 1995/03/02 21:30:10; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 2 13:30:07 PST 1995
----
revision 1.289
date: 1995/03/02 21:28:22; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 2 13:28:19 PST 1995
----
revision 1.288
date: 1995/03/02 21:26:32; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 2 13:26:29 PST 1995

```
--------------------------
revision 1.287
date: 1995/03/02 21:24:40;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:24:37 PST 1995
--------------------------
revision 1.286
date: 1995/03/02 21:22:50;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 13:22:47 PST 1995
--------------------------
revision 1.285
date: 1995/03/02 21:21:02;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:20:59 PST 1995
--------------------------
revision 1.284
date: 1995/03/02 21:19:08;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:19:05 PST 1995
--------------------------
revision 1.283
date: 1995/03/02 21:17:18;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:17:15 PST 1995
--------------------------
revision 1.282
date: 1995/03/02 21:15:32;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:15:29 PST 1995
--------------------------
revision 1.281
date: 1995/03/02 21:13:46;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:13:43 PST 1995
--------------------------
revision 1.280
date: 1995/03/02 21:11:52;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:11:49 PST 1995
--------------------------
revision 1.279
date: 1995/03/02 21:10:06;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:10:03 PST 1995
--------------------------
revision 1.278
date: 1995/03/02 21:08:21;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:08:19 PST 1995
--------------------------
revision 1.277
date: 1995/03/02 21:06:18;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:06:15 PST 1995
--------------------------
revision 1.276
date: 1995/03/02 21:04:27;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:04:24 PST 1995
--------------------------
revision 1.275
date: 1995/03/02 21:01:54;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 13:01:51 PST 1995
--------------------------
revision 1.274
date: 1995/03/02 20:59:50;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 12:59:47 PST 1995
--------------------------
revision 1.273
date: 1995/03/02 20:58:06;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 12:58:03 PST 1995
--------------------------
revision 1.272
date: 1995/03/02 20:56:20;  author: chip;  state: Exp;  lines: +1 -0
```

```
                              ca Feb 28-Mar 6 1995.log
periodic checkin of Thu Mar  2 12:56:18 PST 1995
--------------------------
revision 1.271
date: 1995/03/02 20:54:36;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 12:54:33 PST 1995
--------------------------
revision 1.270
date: 1995/03/02 19:55:25;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:55:22 PST 1995
--------------------------
revision 1.269
date: 1995/03/02 19:53:38;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:53:34 PST 1995
--------------------------
revision 1.268
date: 1995/03/02 19:51:46;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:51:43 PST 1995
--------------------------
revision 1.267
date: 1995/03/02 19:49:59;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:49:56 PST 1995
--------------------------
revision 1.266
date: 1995/03/02 19:48:13;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:48:11 PST 1995
--------------------------
revision 1.265
date: 1995/03/02 19:46:23;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 11:46:20 PST 1995
--------------------------
revision 1.264
date: 1995/03/02 19:44:38;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 11:44:34 PST 1995
--------------------------
revision 1.263
date: 1995/03/02 19:41:04;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 11:41:01 PST 1995
--------------------------
revision 1.262
date: 1995/03/02 19:39:15;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:39:12 PST 1995
--------------------------
revision 1.261
date: 1995/03/02 19:35:30;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:35:27 PST 1995
--------------------------
revision 1.260
date: 1995/03/02 19:33:41;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:33:38 PST 1995
--------------------------
revision 1.259
date: 1995/03/02 19:31:53;  author: chip;  state: Exp;  lines: +6 -0
periodic checkin of Thu Mar  2 11:31:50 PST 1995
--------------------------
revision 1.258
date: 1995/03/02 19:30:06;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:30:03 PST 1995
--------------------------
revision 1.257
date: 1995/03/02 19:28:21;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 11:28:19 PST 1995
--------------------------
revision 1.256
```

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/03/02 19:26:37;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:26:34 PST 1995
----------------------------
revision 1.255
date: 1995/03/02 19:24:48;  author: chip;  state: Exp;  lines: +5 -0
periodic checkin of Thu Mar  2 11:24:46 PST 1995
----------------------------
revision 1.254
date: 1995/03/02 19:21:45;  author: chip;  state: Exp;  lines: +6 -0
periodic checkin of Thu Mar  2 11:21:41 PST 1995
----------------------------
revision 1.253
date: 1995/03/02 19:08:10;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:08:07 PST 1995
----------------------------
revision 1.252
date: 1995/03/02 19:06:26;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 11:06:23 PST 1995
----------------------------
revision 1.251
date: 1995/03/02 18:46:55;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 10:46:52 PST 1995
----------------------------
revision 1.250
date: 1995/03/01 22:07:45;  author: chip;  state: Exp;  lines: +4 -0
periodic checkin of Wed Mar  1 14:07:39 PST 1995
----------------------------
revision 1.249
date: 1995/03/01 22:05:23;  author: chip;  state: Exp;  lines: +52 -0
periodic checkin of Wed Mar  1 14:05:16 PST 1995
----------------------------
revision 1.248
date: 1995/03/01 22:02:43;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Wed Mar  1 14:02:40 PST 1995
----------------------------
revision 1.247
date: 1995/03/01 21:59:21;  author: chip;  state: Exp;  lines: +4 -0
periodic checkin of Wed Mar  1 13:59:18 PST 1995
----------------------------
revision 1.246
date: 1995/03/01 21:55:36;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Wed Mar  1 13:55:33 PST 1995
----------------------------
revision 1.245
date: 1995/03/01 21:53:40;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Wed Mar  1 13:53:37 PST 1995
----------------------------
revision 1.244
date: 1995/03/01 21:51:54;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Wed Mar  1 13:51:51 PST 1995
----------------------------
revision 1.243
date: 1995/03/01 21:50:08;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Wed Mar  1 13:50:05 PST 1995
----------------------------
revision 1.242
date: 1995/03/01 21:48:20;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Wed Mar  1 13:48:17 PST 1995
----------------------------
revision 1.241
date: 1995/03/01 21:46:28;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Wed Mar  1 13:46:26 PST 1995
----------------------------
```

revision 1.240
date: 1995/03/01 21:42:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 1 13:42:32 PST 1995
----
revision 1.239
date: 1995/03/01 21:39:00; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 1 13:38:58 PST 1995
----
revision 1.238
date: 1995/03/01 21:37:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 1 13:37:11 PST 1995
----
revision 1.237
date: 1995/03/01 21:34:12; author: chip; state: Exp; lines: +5 -0
periodic checkin of Wed Mar 1 13:34:09 PST 1995
----
revision 1.236
date: 1995/03/01 21:30:22; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 1 13:30:19 PST 1995
----
revision 1.235
date: 1995/03/01 21:27:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 1 13:27:07 PST 1995
----
revision 1.234
date: 1995/03/01 21:25:24; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 1 13:25:21 PST 1995
----
revision 1.233
date: 1995/03/01 21:21:52; author: chip; state: Exp; lines: +5 -0
periodic checkin of Wed Mar 1 13:21:48 PST 1995
----
revision 1.232
date: 1995/03/01 18:56:39; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 1 10:56:32 PST 1995
----
revision 1.231
date: 1995/03/01 18:48:40; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 1 10:48:29 PST 1995
----
revision 1.230
date: 1995/02/28 23:25:32; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 28 15:25:25 PST 1995
----
revision 1.229
date: 1995/02/28 23:20:01; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 28 15:19:58 PST 1995
----
revision 1.228
date: 1995/02/28 23:18:01; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 28 15:17:52 PST 1995
----
revision 1.227
date: 1995/02/28 23:14:03; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 28 15:13:56 PST 1995
----
revision 1.226
date: 1995/02/28 23:10:09; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 28 15:10:01 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n10s.ly,v
Working file: atlas/compass/layouts/xland2n10s.ly

```
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 2
description:
----------------------------
revision 2.4
date: 1995/03/02 19:31:56;  author: chip;  state: Exp;  lines: +3 -2
periodic checkin of Thu Mar  2 11:31:50 PST 1995
----------------------------
revision 2.3
date: 1995/03/02 19:21:47;  author: chip;  state: Exp;  lines: +3 -2
periodic checkin of Thu Mar  2 11:21:41 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n160s.ly,v
Working file: atlas/compass/layouts/xland2n160s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:48:11;  author: chip;  state: Exp;  lines: +4 -3
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n20s.ly,v
Working file: atlas/compass/layouts/xland2n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:48:13;  author: chip;  state: Exp;  lines: +4 -2
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n40s.ly,v
Working file: atlas/compass/layouts/xland2n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
----------------------------
revision 2.4
date: 1995/03/02 21:48:14;  author: chip;  state: Exp;  lines: +4 -4
```

periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n80s.ly,v
Working file: atlas/compass/layouts/xland2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:59:43; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:59:40 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n10s.ly,v
Working file: atlas/compass/layouts/xland3n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:50:31; author: chip; state: Exp; lines: +4 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n160s.ly,v
Working file: atlas/compass/layouts/xland3n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:59:44; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:59:40 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n20s.ly,v
Working file: atlas/compass/layouts/xland3n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/03/02 21:48:16;  author: chip;  state: Exp;  lines: +4 -3
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n40s.ly,v
Working file: atlas/compass/layouts/xland3n40s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:48:17;  author: chip;  state: Exp;  lines: +4 -3
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n80s.ly,v
Working file: atlas/compass/layouts/xland3n80s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:48:19;  author: chip;  state: Exp;  lines: +4 -3
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n10s.ly,v
Working file: atlas/compass/layouts/xland4n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:48:20;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n160s.ly,v
Working file: atlas/compass/layouts/xland4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
----------------------------
```

revision 2.7
date: 1995/03/02 21:48:21; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n20s.ly,v
Working file: atlas/compass/layouts/xland4n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:48:23; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n40s.ly,v
Working file: atlas/compass/layouts/xland4n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 2.4
date: 1995/03/02 21:48:25; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n80s.ly,v
Working file: atlas/compass/layouts/xland4n80s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 2.4
date: 1995/03/02 21:48:26; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn10s.ly,v
Working file: atlas/compass/layouts/xlbufn10s.ly
head: 2.8
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 2.8
keyword substitution: kv
total revisions: 8;   selected revisions: 1

```
                        ca Feb 28-Mar 6 1995.log
description:
--------------------------
revision 2.4
date: 1995/03/02 21:48:27;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn160s.ly,v
working file: atlas/compass/layouts/xlbufn160s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 2.11
keyword substitution: kv
total revisions: 11;     selected revisions: 1
description:
--------------------------
revision 2.6
date: 1995/03/02 21:48:29;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn20s.ly,v
working file: atlas/compass/layouts/xlbufn20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 2.6
keyword substitution: kv
total revisions: 6;      selected revisions: 1
description:
--------------------------
revision 2.4
date: 1995/03/02 21:50:33;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn40s.ly,v
working file: atlas/compass/layouts/xlbufn40s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 2.11
keyword substitution: kv
total revisions: 11;     selected revisions: 2
description:
--------------------------
revision 2.6
date: 1995/03/02 21:50:34;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
--------------------------
revision 2.5
date: 1995/03/01 22:05:26;  author: chip;  state: Exp;  lines: +3 -4
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn80s.ly,v
```

```
                              ca Feb 28-Mar 6 1995.log
working file: atlas/compass/layouts/xlbufn80s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 2.11
keyword substitution: kv
total revisions: 11;     selected revisions: 2
description:
----------------------------
revision 2.7
date: 1995/03/02 21:50:36;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
----------------------------
revision 2.6
date: 1995/03/01 22:05:29;  author: chip;  state: Exp;  lines: +7 -10
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand12n20s.ly,v
working file: atlas/compass/layouts/xldand12n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:50:37;  author: chip;  state: Exp;  lines: +9 -9
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand17n20s.ly,v
working file: atlas/compass/layouts/xldand17n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:50:39;  author: chip;  state: Exp;  lines: +11 -11
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand2n10s.ly,v
working file: atlas/compass/layouts/xldand2n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
```

revision 2.3
date: 1995/03/02 21:50:41; author: chip; state: Exp; lines: +7 -5
periodic checkin of Thu Mar 2 13:50:18 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand3n10s.ly,v
Working file: atlas/compass/layouts/xldand3n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:50:42; author: chip; state: Exp; lines: +8 -7
periodic checkin of Thu Mar 2 13:50:18 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand4n10s.ly,v
Working file: atlas/compass/layouts/xldand4n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:50:43; author: chip; state: Exp; lines: +8 -7
periodic checkin of Thu Mar 2 13:50:18 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand6n10s.ly,v
Working file: atlas/compass/layouts/xldand6n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:50:45; author: chip; state: Exp; lines: +8 -7
periodic checkin of Thu Mar 2 13:50:18 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand8n10s.ly,v
Working file: atlas/compass/layouts/xldand8n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:

ca Feb 28-Mar 6 1995.log

----
revision 2.3
date: 1995/03/02 21:53:13; author: chip; state: Exp; lines: +9 -8
periodic checkin of Thu Mar 2 13:52:59 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor12n20s.ly,v
Working file: atlas/compass/layouts/xldor12n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;   selected revisions: 2
description:
----
revision 2.7
date: 1995/03/02 21:50:46; author: chip; state: Exp; lines: +6 -3
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 2.6
date: 1995/03/01 22:05:31; author: chip; state: Exp; lines: +7 -11
periodic checkin of Wed Mar 1 14:05:16 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor17n20s.ly,v
Working file: atlas/compass/layouts/xldor17n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 1
description:
----
revision 2.6
date: 1995/03/01 22:05:33; author: chip; state: Exp; lines: +9 -13
periodic checkin of Wed Mar 1 14:05:16 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor2n10s.ly,v
Working file: atlas/compass/layouts/xldor2n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:50:47; author: chip; state: Exp; lines: +6 -3
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 2.5
date: 1995/03/01 22:05:36; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 1 14:05:16 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor3n10s.ly,v

```
                              ca Feb 28-Mar 6 1995.log
Working file: atlas/compass/layouts/xldor3n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
---------------------------
revision 2.4
date: 1995/03/02 21:50:49;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor4n10s.ly,v
Working file: atlas/compass/layouts/xldor4n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 2
description:
---------------------------
revision 2.5
date: 1995/03/02 21:50:50;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:50:18 PST 1995
---------------------------
revision 2.4
date: 1995/03/01 22:05:37;  author: chip;  state: Exp;  lines: +2 -2
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor6n10s.ly,v
Working file: atlas/compass/layouts/xldor6n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
---------------------------
revision 2.4
date: 1995/03/02 21:50:52;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor8n10s.ly,v
Working file: atlas/compass/layouts/xldor8n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
---------------------------
revision 2.4
```

date: 1995/03/02 21:50:53; author: chip; state: Exp; lines: +6 -3
periodic checkin of Thu Mar 2 13:50:18 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/xllan10s.ly,v
Working file: atlas/compass/layouts/xllan10s.ly
head: 4.6
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.6
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 4.2
date: 1995/03/02 21:50:55; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 4.1
date: 1995/03/01 18:56:45; author: chip; state: Exp;
periodic checkin of Wed Mar 1 10:56:32 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/xllan160s.ly,v
Working file: atlas/compass/layouts/xllan160s.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.10
keyword substitution: kv
total revisions: 10;   selected revisions: 2
description:
----
revision 4.2
date: 1995/03/02 21:50:56; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 4.1
date: 1995/03/01 21:21:54; author: chip; state: Exp;
periodic checkin of Wed Mar 1 13:21:48 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/xllan20s.ly,v
Working file: atlas/compass/layouts/xllan20s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.8
keyword substitution: kv
total revisions: 8;   selected revisions: 3
description:
----
revision 4.3
date: 1995/03/02 21:50:57; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 4.2

```
                                    ca Feb 28-Mar 6 1995.log
date: 1995/03/01 22:05:39;  author: chip;  state: Exp;  lines: +4 -5
periodic checkin of Wed Mar  1 14:05:16 PST 1995
----------------------------
revision 4.1
date: 1995/03/01 18:56:48;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 10:56:32 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/xllan40s.ly,v
Working file: atlas/compass/layouts/xllan40s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.8
keyword substitution: kv
total revisions: 8;      selected revisions: 3
description:
----------------------------
revision 4.3
date: 1995/03/02 21:50:59;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
----------------------------
revision 4.2
date: 1995/03/01 22:07:48;  author: chip;  state: Exp;  lines: +6 -7
periodic checkin of Wed Mar  1 14:07:39 PST 1995
----------------------------
revision 4.1
date: 1995/03/01 18:56:52;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 10:56:32 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/xllan80s.ly,v
Working file: atlas/compass/layouts/xllan80s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.11
keyword substitution: kv
total revisions: 11;     selected revisions: 3
description:
----------------------------
revision 4.3
date: 1995/03/02 21:51:00;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
----------------------------
revision 4.2
date: 1995/03/01 22:07:50;  author: chip;  state: Exp;  lines: +11 -13
periodic checkin of Wed Mar  1 14:07:39 PST 1995
----------------------------
revision 4.1
date: 1995/03/01 18:56:56;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 10:56:32 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/xllbn10s.ly,v
Working file: atlas/compass/layouts/xllbn10s.ly
head: 4.8
branch:
locks: strict
```

access list:
symbolic names:
        b4_rich: 4.8
keyword substitution: kv
total revisions: 8;   selected revisions: 2
description:
----
revision 4.3
date: 1995/03/02 21:51:01; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 4.2
date: 1995/03/01 22:07:52; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 1 14:07:39 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/x11bn160s.ly,v
Working file: atlas/compass/layouts/x11bn160s.ly
head: 4.18
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.18
keyword substitution: kv
total revisions: 18;   selected revisions: 2
description:
----
revision 4.4
date: 1995/03/02 21:51:03; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 4.3
date: 1995/03/01 22:07:53; author: chip; state: Exp; lines: +25 -19
periodic checkin of Wed Mar 1 14:07:39 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/x11bn20s.ly,v
Working file: atlas/compass/layouts/x11bn20s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.11
keyword substitution: kv
total revisions: 11;   selected revisions: 2
description:
----
revision 4.3
date: 1995/03/02 21:51:04; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 4.2
date: 1995/03/01 22:05:41; author: chip; state: Exp; lines: +7 -8
periodic checkin of Wed Mar 1 14:05:16 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/x11bn40s.ly,v
Working file: atlas/compass/layouts/x11bn40s.ly
head: 4.15
branch:
locks: strict

access list:
symbolic names:
        b4_rich: 4.15
keyword substitution: kv
total revisions: 15;   selected revisions: 2
description:
----
revision 4.3
date: 1995/03/02 21:53:14; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:52:59 PST 1995
----
revision 4.2
date: 1995/03/01 22:05:42; author: chip; state: Exp; lines: +5 -6
periodic checkin of Wed Mar 1 14:05:16 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/xllbn80s.ly,v
Working file: atlas/compass/layouts/xllbn80s.ly
head: 4.13
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.13
keyword substitution: kv
total revisions: 13;   selected revisions: 2
description:
----
revision 4.3
date: 1995/03/02 21:51:05; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 4.2
date: 1995/03/01 22:05:44; author: chip; state: Exp; lines: +12 -13
periodic checkin of Wed Mar 1 14:05:16 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n10s.ly,v
Working file: atlas/compass/layouts/xlmux2n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:51:07; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 2.5
date: 1995/03/01 22:05:46; author: chip; state: Exp; lines: +24 -35
periodic checkin of Wed Mar 1 14:05:16 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n160s.ly,v
Working file: atlas/compass/layouts/xlmux2n160s.ly
head: 2.4
branch:
locks: strict
access list:

symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 2.4
date: 1995/03/02 21:51:08;   author: chip;   state: Exp;   lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n20s.ly,v
Working file: atlas/compass/layouts/xlmux2n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:51:10;   author: chip;   state: Exp;   lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 2.5
date: 1995/03/01 22:05:48;   author: chip;   state: Exp;   lines: +4 -4
periodic checkin of Wed Mar 1 14:05:16 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n40s.ly,v
Working file: atlas/compass/layouts/xlmux2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:53:16;   author: chip;   state: Exp;   lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n80s.ly,v
Working file: atlas/compass/layouts/xlmux2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:53:17;   author: chip;   state: Exp;   lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n10s.ly,v

```
                                    ca Feb 28-Mar 6 1995.log
Working file: atlas/compass/layouts/xlmux3n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:18;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:05:49;  author: chip;  state: Exp;  lines: +3 -3
periodic checkin of Wed Mar  1 14:05:16 PST 1995
==============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n160s.ly,v
Working file: atlas/compass/layouts/xlmux3n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:53:20;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
==============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n20s.ly,v
Working file: atlas/compass/layouts/xlmux3n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:21;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:05:51;  author: chip;  state: Exp;  lines: +3 -3
periodic checkin of Wed Mar  1 14:05:16 PST 1995
==============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n40s.ly,v
Working file: atlas/compass/layouts/xlmux3n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
```

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:23;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n80s.ly,v
Working file: atlas/compass/layouts/xlmux3n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:24;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n10s.ly,v
Working file: atlas/compass/layouts/xlmux4n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:59:46;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:59:40 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:05:52;  author: chip;  state: Exp;  lines: +3 -3
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n160s.ly,v
Working file: atlas/compass/layouts/xlmux4n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:53:26;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n20s.ly,v
Working file: atlas/compass/layouts/xlmux4n20s.ly
head: 2.6
```

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:59:47; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:59:40 PST 1995
----
revision 2.5
date: 1995/03/01 22:05:54; author: chip; state: Exp; lines: +6 -7
periodic checkin of Wed Mar 1 14:05:16 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n40s.ly,v
Working file: atlas/compass/layouts/xlmux4n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:57:35; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:57:23 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n80s.ly,v
Working file: atlas/compass/layouts/xlmux4n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:57:36; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:57:23 PST 1995
==

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n10s.ly,v
Working file: atlas/compass/layouts/xlmux5n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:57:38; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:57:23 PST 1995

```
                              ca Feb 28-Mar 6 1995.log
----------------------------
revision 2.5
date: 1995/03/01 22:07:55;  author: chip;  state: Exp;  lines: +18 -28
periodic checkin of Wed Mar  1 14:07:39 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n160s.ly,v
Working file: atlas/compass/layouts/xlmux5n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
--------------------------
revision 2.3
date: 1995/03/02 21:57:39;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n20s.ly,v
Working file: atlas/compass/layouts/xlmux5n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:57:41;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:07:57;  author: chip;  state: Exp;  lines: +6 -7
periodic checkin of Wed Mar  1 14:07:39 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n40s.ly,v
Working file: atlas/compass/layouts/xlmux5n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:27;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n80s.ly,v
Working file: atlas/compass/layouts/xlmux5n80s.ly
head: 2.5
branch:
locks: strict
```

```
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:29;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n10s.ly,v
Working file: atlas/compass/layouts/xlmux6n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:30;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:07:59;  author: chip;  state: Exp;  lines: +6 -7
periodic checkin of Wed Mar  1 14:07:39 PST 1995
================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n160s.ly,v
Working file: atlas/compass/layouts/xlmux6n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:53:32;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n20s.ly,v
Working file: atlas/compass/layouts/xlmux6n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:33;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
```

```
                          ca Feb 28-Mar 6 1995.log
date: 1995/03/01 22:08:01;  author: chip;  state: Exp;  lines: +9 -9
periodic checkin of Wed Mar  1 14:07:39 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n40s.ly,v
Working file: atlas/compass/layouts/xlmux6n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
--------------------------
revision 2.5
date: 1995/03/02 21:53:35;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n80s.ly,v
Working file: atlas/compass/layouts/xlmux6n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
----------------------
revision 2.5
date: 1995/03/02 21:53:36;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n10s.ly,v
Working file: atlas/compass/layouts/xlmux7n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
--------------------------
revision 2.5
date: 1995/03/02 21:53:38;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n160s.ly,v
Working file: atlas/compass/layouts/xlmux7n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
--------------------------
```

revision 2.3
date: 1995/03/02 21:53:39; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n20s.ly,v
Working file: atlas/compass/layouts/xlmux7n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:53:41; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:52:59 PST 1995
----
revision 2.5
date: 1995/03/01 22:08:03; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 1 14:07:39 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n40s.ly,v
Working file: atlas/compass/layouts/xlmux7n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:53:42; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n80s.ly,v
Working file: atlas/compass/layouts/xlmux7n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:53:44; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n10s.ly,v
Working file: atlas/compass/layouts/xlmux8n10s.ly
head: 2.6
branch:
locks: strict
access list:

```
                              ca Feb 28-Mar 6 1995.log
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:45;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:08:04;  author: chip;  state: Exp;  lines: +6 -7
periodic checkin of Wed Mar  1 14:07:39 PST 1995
==============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n160s.ly,v
Working file: atlas/compass/layouts/xlmux8n160s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
----------------------------
revision 2.4
date: 1995/03/02 21:53:46;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
==============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n20s.ly,v
Working file: atlas/compass/layouts/xlmux8n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:48;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:08:06;  author: chip;  state: Exp;  lines: +7 -9
periodic checkin of Wed Mar  1 14:07:39 PST 1995
==============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n40s.ly,v
Working file: atlas/compass/layouts/xlmux8n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:55:38;  author: chip;  state: Exp;  lines: +5 -4
```

Exhibit D46   Page 31 of 337

```
                              ca Feb 28-Mar 6 1995.log
periodic checkin of Thu Mar   2 13:55:30 PST 1995
================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n80s.ly,v
Working file: atlas/compass/layouts/xlmux8n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:57:43;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar   2 13:57:23 PST 1995
================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n10s.ly,v
Working file: atlas/compass/layouts/xlor2n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:57:44;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar   2 13:57:23 PST 1995
================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n160s.ly,v
Working file: atlas/compass/layouts/xlor2n160s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:57:45;  author: chip;  state: Exp;  lines: +13 -10
periodic checkin of Thu Mar  2 13:57:23 PST 1995
================================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n20s.ly,v
Working file: atlas/compass/layouts/xlor2n20s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
----------------------------
revision 2.4
```

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/03/02 21:57:47;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n40s.ly,v
Working file: atlas/compass/layouts/xlor2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:57:48;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n80s.ly,v
Working file: atlas/compass/layouts/xlor2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:57:50;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n10s.ly,v
Working file: atlas/compass/layouts/xlor3n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 2
description:
----------------------------
revision 2.4
date: 1995/03/02 21:57:51;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
----------------------------
revision 2.3
date: 1995/03/01 22:08:08;  author: chip;  state: Exp;  lines: +3 -3
periodic checkin of Wed Mar  1 14:07:39 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n160s.ly,v
Working file: atlas/compass/layouts/xlor3n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
```

```
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
----------------------------
revision 2.7
date: 1995/03/02 21:57:53;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n20s.ly,v
Working file: atlas/compass/layouts/xlor3n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
----------------------------
revision 2.7
date: 1995/03/02 21:57:54;  author: chip;  state: Exp;  lines: +7 -4
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n40s.ly,v
Working file: atlas/compass/layouts/xlor3n40s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
----------------------------
revision 2.7
date: 1995/03/02 21:57:55;  author: chip;  state: Exp;  lines: +14 -9
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n80s.ly,v
Working file: atlas/compass/layouts/xlor3n80s.ly
head: 2.8
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;     selected revisions: 1
description:
----------------------------
revision 2.8
date: 1995/03/02 21:57:57;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n10s.ly,v
Working file: atlas/compass/layouts/xlor4n10s.ly
head: 2.5
branch:
locks: strict
access list:
```

symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:57:58; author: chip; state: Exp; lines: +6 -3
periodic checkin of Thu Mar 2 13:57:23 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n160s.ly,v
Working file: atlas/compass/layouts/xlor4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;   selected revisions: 1
description:
----
revision 2.7
date: 1995/03/02 21:58:00; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:57:23 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n40s.ly,v
Working file: atlas/compass/layouts/xlor4n40s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 1
description:
----
revision 2.6
date: 1995/03/02 21:58:02; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:57:23 PST 1995
===

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n80s.ly,v
Working file: atlas/compass/layouts/xlor4n80s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11;   selected revisions: 4
description:
----
revision 2.11
date: 1995/03/02 19:31:57; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 2 11:31:50 PST 1995
----
revision 2.10
date: 1995/03/02 19:21:48; author: chip; state: Exp; lines: +4 -2
periodic checkin of Thu Mar 2 11:21:41 PST 1995
----
revision 2.9
date: 1995/03/02 19:08:12; author: chip; state: Exp; lines: +29 -29

```
                              ca Feb 28-Mar 6 1995.log
periodic checkin of Thu Mar  2 11:08:07 PST 1995
--------------------------
revision 2.8
date: 1995/03/02 18:48:43;  author: chip;  state: Exp;  lines: +13 -8
periodic checkin of Thu Mar  2 10:48:41 PST 1995
===============================================================================

RCS file: /p/cvsroot/atlas/doc/BOM,v
Working file: atlas/doc/BOM
head: 37.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 37.0
keyword substitution: kv
total revisions: 83;     selected revisions: 2
description:
releasebom adding BOM
--------------------------
revision 29.2
date: 1995/03/02 22:06:07;  author: brianl;  state: Exp;  lines: +2 -2
Release Target: atlas/doc
        map.ht

Draft of automatic mapping flow
--------------------------
revision 29.1
date: 1995/03/02 20:24:42;  author: brianl;  state: Exp;  lines: +2 -2
Release Target: atlas/doc
        map.ht

Added flow chart
===============================================================================

RCS file: /p/cvsroot/atlas/doc/map.ht,v
Working file: atlas/doc/map.ht
head: 27.6
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 27.6
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
--------------------------
revision 27.3
date: 1995/03/02 22:05:49;  author: brianl;  state: Exp;  lines: +83 -19
Draft of automatic mapping flow
--------------------------
revision 27.2
date: 1995/03/02 20:24:23;  author: brianl;  state: Exp;  lines: +85 -1
Added flow chart
===============================================================================

RCS file: /p/cvsroot/atlas/gards/Makefile.base,v
Working file: atlas/gards/Makefile.base
head: 1.11
branch:
locks: strict
access list:
symbolic names:
```

```
                          ca Feb 28-Mar 6 1995.log
          b4_rich: 1.11
keyword substitution: kv
total revisions: 11;     selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/03/01 01:09:10;  author: tom;  state: Exp;  lines: +9 -9
add vlsimm_script, clean-request; use -C option on piddles invocation
=====================================================================

RCS file: /p/cvsroot/atlas/gards/clean-request,v
Working file: atlas/gards/clean-request
head: 2.3
branch:
locks: strict
access list:
symbolic names:
          b4_rich: 2.3
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.1
date: 1995/03/01 01:09:12;  author: tom;  state: Exp;
add vlsimm_script, clean-request; use -C option on piddles invocation
=====================================================================

RCS file: /p/cvsroot/atlas/gards/vlsimm_script,v
Working file: atlas/gards/vlsimm_script
head: 2.3
branch:
locks: strict
access list:
symbolic names:
          b4_rich: 2.3
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.1
date: 1995/03/01 01:09:16;  author: tom;  state: Exp;
add vlsimm_script, clean-request; use -C option on piddles invocation
=====================================================================

RCS file: /p/cvsroot/atlas/ged/BOM,v
Working file: atlas/ged/BOM
head: 22.0
branch:
locks: strict
access list:
symbolic names:
          b4_rich: 22.0
keyword substitution: kv
total revisions: 654;    selected revisions: 3
description:
----------------------------
revision 5.1
date: 1995/03/03 00:58:16;  author: ong;  state: Exp;  lines: +2 -2
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 5.0
```

date: 1995/03/02 02:42:08; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

The release is primarily to get a new master.local file that includes the
`xl' section.
----
revision 4.10
date: 1995/03/02 02:42:00; author: tom; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/README,v
Working file: atlas/ged/README
head: 1.17
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.17
keyword substitution: kv
total revisions: 17;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/02 02:13:17; author: tom; state: Exp; lines: +2 -1
add description of xl library
===

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v
Working file: atlas/ged/xv/BOM
head: 33.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 33.0
keyword substitution: kv
total revisions: 102;   selected revisions: 2
description:
releasebom adding BOM
----
revision 10.0
date: 1995/03/03 00:57:55; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 9.1
date: 1995/03/03 00:57:39; author: ong; state: Exp; lines: +32 -32
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/xv/xvand2n/Attic/BOM,v
Working file: atlas/ged/xv/xvand2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM

```
----------------------------
revision 4.0
date: 1995/03/03 00:38:23;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:38:12;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvand2n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvand2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:08;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvand2n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvand2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:11;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvand3n/Attic/BOM,v
Working file: atlas/ged/xv/xvand3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:38:56;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
```

ca Feb 28-Mar 6 1995.log

```
--------------------------
revision 3.1
date: 1995/03/03 00:38:46;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvand3n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvand3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
--------------------------
revision 1.3
date: 1995/03/03 00:31:16;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvand3n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvand3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
--------------------------
revision 1.3
date: 1995/03/03 00:31:19;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvand4n/Attic/BOM,v
Working file: atlas/ged/xv/xvand4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 2
description:
releasebom adding BOM
--------------------------
revision 4.0
date: 1995/03/03 00:39:28;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
--------------------------
revision 3.1
date: 1995/03/03 00:39:18;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==============================================================================
```

RCS file: /p/cvsroot/atlas/ged/xv/xvand4n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvand4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:31:25;   author: ong;   state: Exp;   lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvand4n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvand4n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:31:27;   author: ong;   state: Exp;   lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvbufn/BOM,v
Working file: atlas/ged/xv/xvbufn/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 6.0
keyword substitution: kv
total revisions: 10;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:40:01;   author: ong;   state: Exp;   lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:39:52;   author: ong;   state: Exp;   lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/xv/xvbufn/body.1.1,v
Working file: atlas/ged/xv/xvbufn/body.1.1
head: 1.4
branch:
locks: strict

```
access list:
symbolic names:
        b4_rich: 1.4
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:32;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/BOM,v
Working file: atlas/ged/xv/xvdand12n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:40:32;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:40:22;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdand12n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:37;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdand12n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
```

```
---------------------------
revision 1.3
date: 1995/03/03 00:31:41;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/BOM,v
Working file: atlas/ged/xv/xvdand17n/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;     selected revisions: 2
description:
releasebom adding BOM
---------------------------
revision 5.0
date: 1995/03/03 00:41:04;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
---------------------------
revision 4.1
date: 1995/03/03 00:40:53;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdand17n/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
---------------------------
revision 1.4
date: 1995/03/03 00:31:45;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdand17n/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
---------------------------
revision 1.4
date: 1995/03/03 00:31:48;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================
```

ca Feb 28-Mar 6 1995.log

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/BOM,v
Working file: atlas/ged/xv/xvdand2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:41:36;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:41:26;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdand2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:54;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdand2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:57;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/BOM,v
Working file: atlas/ged/xv/xvdand3n/BOM
head: 4.0
branch:
locks: strict
```

access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:42:08; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:41:58; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdand3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:02; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdand3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:04; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/BOM,v
Working file: atlas/ged/xv/xvdand4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM

----
revision 4.0
date: 1995/03/03 00:42:41; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:42:32; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdand4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:10; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdand4n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:13; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/BOM,v
Working file: atlas/ged/xv/xvdand6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:43:13; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies

----
revision 3.1
date: 1995/03/03 00:43:02; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdand6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:17; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdand6n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:20; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/BOM,v
Working file: atlas/ged/xv/xvdand8n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:43:43; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:43:34; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

```
                          ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdand8n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
-------------------------
revision 1.3
date: 1995/03/03 00:32:25;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdand8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
-------------------------
revision 1.3
date: 1995/03/03 00:32:27;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdlb/Attic/BOM,v
Working file: atlas/ged/xv/xvdlb/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 3.0
date: 1995/03/03 00:44:25;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 2.1
date: 1995/03/03 00:44:16;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdlb/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdlb/body.1.1
head: 1.4
branch:
locks: strict
access list:
```

symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 2
description:
----
revision 1.3
date: 1995/03/03 00:32:32; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
----
revision 1.2
date: 1995/03/03 00:14:38; author: ong; state: Exp; lines: +16 -15
added parmsche parameters to body
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdlb/Attic/body.2.1,v
working file: atlas/ged/xv/xvdlb/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 2
description:
----
revision 1.3
date: 1995/03/03 00:32:35; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
----
revision 1.2
date: 1995/03/03 00:14:42; author: ong; state: Exp; lines: +17 -16
added parmsche parameters to body
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/BOM,v
working file: atlas/ged/xv/xvdor12n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:44:57; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:44:48; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdor12n/body.1.1
head: 1.3
branch:

```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:32:40;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdor12n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:32:43;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor17n/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 5.0
date: 1995/03/03 00:45:30;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 4.1
date: 1995/03/03 00:45:18;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdor17n/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
```

```
                            ca Feb 28-Mar 6 1995.log
----------------------------
revision 1.4
date: 1995/03/03 00:32:48;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
================================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdor17n/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
----------------------------
revision 1.4
date: 1995/03/03 00:32:51;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
================================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:45:59;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:45:50;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
================================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdor2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:32:57;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
================================================================================
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdor2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:32:59;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================
RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/BOM,v
working file: atlas/ged/xv/xvdor3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:46:29;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:46:20;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================
RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdor3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:33:05;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================
RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdor3n/body.2.1
head: 1.3
branch:
locks: strict
```

access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:33:08; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:47:04; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:46:54; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==

RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdor4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:33:13; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdor4n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----

revision 1.3
date: 1995/03/03 00:33:16; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:47:36; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:47:26; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdor6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:33:21; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdor6n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:33:23; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

```
                              ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor8n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:48:07;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:47:58;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdor8n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
------------------------
revision 1.3
date: 1995/03/03 00:33:29;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdor8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:33:31;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvlan/BOM,v
Working file: atlas/ged/xv/xvlan/BOM
head: 6.0
branch:
locks: strict
access list:
```

symbolic names:
        b4_rich: 6.0
keyword substitution: kv
total revisions: 10;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:48:48; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:48:38; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/xv/xvlan/body.1.1,v
working file: atlas/ged/xv/xvlan/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.3
keyword substitution: kv
total revisions: 3;   selected revisions: 2
description:
----
revision 1.3
date: 1995/03/03 00:33:36; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
----
revision 1.2
date: 1995/03/03 00:14:50; author: ong; state: Exp; lines: +4 -3
added parmsche parameters to body
===

RCS file: /p/cvsroot/atlas/ged/xv/xvlan/body.2.1,v
working file: atlas/ged/xv/xvlan/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.3
keyword substitution: kv
total revisions: 3;   selected revisions: 2
description:
----
revision 1.3
date: 1995/03/03 00:33:40; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
----
revision 1.2
date: 1995/03/03 00:14:53; author: ong; state: Exp; lines: +4 -3
added parmsche parameters to body
===

RCS file: /p/cvsroot/atlas/ged/xv/xvlbn/BOM,v

```
                          ca Feb 28-Mar 6 1995.log
Working file: atlas/ged/xv/xvlbn/BOM
head: 9.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 9.0
keyword substitution: kv
total revisions: 16;    selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:49:22;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:49:11;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvlbn/body.1.1,v
working file: atlas/ged/xv/xvlbn/body.1.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.6
keyword substitution: kv
total revisions: 6;     selected revisions: 1                .
description:
----------------------------
revision 1.3
date: 1995/03/03 00:33:45;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvlbn/body.2.1,v
working file: atlas/ged/xv/xvlbn/body.2.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.6
keyword substitution: kv
total revisions: 6;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:33:48;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux2n/Attic/BOM,v
working file: atlas/ged/xv/xvmux2n/BOM
head: 4.0
branch:
```

```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:49:57;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:49:47;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=================================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux2n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvmux2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:33:54;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=================================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux2n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvmux2n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/03/03 00:33:56;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=================================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux3n/Attic/BOM,v
Working file: atlas/ged/xv/xvmux3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
```

releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:50:28; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:50:19; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==

RCS file: /p/cvsroot/atlas/ged/xv/xvmux3n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvmux3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:34:02; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas/ged/xv/xvmux3n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvmux3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:34:05; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas/ged/xv/xvmux4n/Attic/BOM,v
Working file: atlas/ged/xv/xvmux4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:50:59; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

```
                            ca Feb 28-Mar 6 1995.log
New parmsche parameters on bodies
---------------------------
revision 3.1
date: 1995/03/03 00:50:50;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux4n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvmux4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.3
date: 1995/03/03 00:34:11;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux4n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvmux4n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
---------------------------
revision 1.2
date: 1995/03/03 00:34:14;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux5n/Attic/BOM,v
Working file: atlas/ged/xv/xvmux5n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
---------------------------
revision 4.0
date: 1995/03/03 00:51:36;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
---------------------------
revision 3.1
date: 1995/03/03 00:51:26;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================
```

RCS file: /p/cvsroot/atlas/ged/xv/xvmux5n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvmux5n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:34:19; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvmux5n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvmux5n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 00:34:22; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvmux6n/Attic/BOM,v
Working file: atlas/ged/xv/xvmux6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:52:06; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:51:57; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/xv/xvmux6n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvmux6n/body.1.1
head: 1.3
branch:
locks: strict

```
                          ca Feb 28-Mar 6 1995.log
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:34:27;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux6n/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux6n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/03/03 00:34:30;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux7n/Attic/BOM,v
working file: atlas/ged/xv/xvmux7n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:52:37;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:52:27;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvmux7n/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux7n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
```

revision 1.3
date: 1995/03/03 00:34:35; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvmux7n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvmux7n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 00:34:37; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8n/Attic/BOM,v
Working file: atlas/ged/xv/xvmux8n/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10;   selected revisions: 2
description:
releasebom adding BOM
----
revision 6.0
date: 1995/03/03 00:54:52; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 5.1
date: 1995/03/03 00:54:16; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvmux8n/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.4
date: 1995/03/03 00:34:43; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

```
                              ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/atlas/ged/xv/xvmux8n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvmux8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:34:46;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvor2n/Attic/BOM,v
Working file: atlas/ged/xv/xvor2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:55:41;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:55:28;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvor2n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvor2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:34:51;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvor2n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvor2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
```

ca Feb 28-Mar 6 1995.log
```
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:34:54;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvor3n/Attic/BOM,v
Working file: atlas/ged/xv/xvor3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:56:23;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:56:10;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvor3n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvor3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:35:00;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvor3n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvor3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
```

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/03/03 00:35:02;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvor4n/Attic/BOM,v
Working file: atlas/ged/xv/xvor4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
---------------------------
revision 4.0
date: 1995/03/03 00:57:03;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
---------------------------
revision 3.1
date: 1995/03/03 00:56:50;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvor4n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvor4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.3
date: 1995/03/03 00:35:08;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/ged/xv/xvor4n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvor4n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.3
date: 1995/03/03 00:35:10;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas/leafgen/Makefile,v
```

Working file: atlas/leafgen/Makefile
head: 1.33
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.33
keyword substitution: kv
total revisions: 33;   selected revisions: 3
description:
----
revision 1.8
date: 1995/03/03 20:15:15; author: brianl; state: Exp; lines: +4 -8
Check parmsche exit code
----
revision 1.7
date: 1995/03/03 19:22:43; author: brianl; state: Exp; lines: +2 -2
Really fix s power level extraction
----
revision 1.6
date: 1995/03/03 19:15:04; author: brianl; state: Exp; lines: +2 -2
Fix s power level extraction
===

RCS file: /p/cvsroot/atlas/leafgen/makeDepend,v
Working file: atlas/leafgen/makeDepend
head: 3.15
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 3.15
keyword substitution: kv
total revisions: 15;   selected revisions: 1
description:
----
revision 3.5
date: 1995/03/04 02:55:38; author: ong; state: Exp; lines: +2 -2
Adding xvdlb to depend list and parmsche parameters to tech.tcl files
===

RCS file: /p/cvsroot/atlas/leafgen/parmsche-tech.tcl,v
Working file: atlas/leafgen/parmsche-tech.tcl
head: 3.11
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 3.11
keyword substitution: kv
total revisions: 11;   selected revisions: 1
description:
----
revision 3.4
date: 1995/03/04 02:55:42; author: ong; state: Exp; lines: +9 -1
Adding xvdlb to depend list and parmsche parameters to tech.tcl files
===

RCS file: /p/cvsroot/atlas2/BOM,v
Working file: atlas2/BOM
head: 201.2755
branch:
locks: strict

access list:
symbolic names:
        b4_rich: 201.2700
keyword substitution: kv
total revisions: 4418; selected revisions: 4
description:
----
revision 2.82
date: 1995/03/03 00:58:34; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 2.81
date: 1995/03/02 22:06:15; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/doc
        map.ht

Draft of automatic mapping flow
----
revision 2.80
date: 1995/03/02 20:24:51; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/doc
        map.ht

Added flow chart
----
revision 2.79
date: 1995/03/02 02:42:16; author: tom; state: Exp; lines: +5 -1
Release Target: atlas/ged

The release is primarily to get a new master.local file that includes the
`xl' section.
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v
Working file: atlas2/compass/layouts/atlas.db
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 133;   selected revisions: 1
description:
----
revision 1.9
date: 1995/03/01 21:23:37; author: chip; state: Exp; lines: +47 -45
periodic checkin of Wed Mar 1 13:23:36 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm8t.ly,v
Working file: atlas2/compass/layouts/csm8t.ly
head: 4.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 4.1

```
                                ca Feb 28-Mar 6 1995.log
date: 1995/03/03 14:34:06;  author: chip;  state: Exp;
periodic checkin of Fri Mar  3 06:34:03 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm8tw1.ly,v
Working file: atlas2/compass/layouts/csm8tw1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 4.1
date: 1995/03/03 14:34:08;  author: chip;  state: Exp;
periodic checkin of Fri Mar  3 06:34:03 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm8tx2.ly,v
Working file: atlas2/compass/layouts/csm8tx2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 4.1
date: 1995/03/03 14:34:11;  author: chip;  state: Exp;
periodic checkin of Fri Mar  3 06:34:03 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/guardring.ly,v
Working file: atlas2/compass/layouts/guardring.ly
head: 2.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;     selected revisions: 1
description:
----------------------------
revision 2.8
date: 1995/03/02 23:15:36;  author: chip;  state: Exp;  lines: +5 -5
periodic checkin of Thu Mar  2 15:15:34 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvdd.ly,v
Working file: atlas2/compass/layouts/padintvdd.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17;    selected revisions: 2
description:
----------------------------
```

ca Feb 28-Mar 6 1995.log
revision 4.2
date: 1995/02/28 23:25:28; author: chip; state: Exp; lines: +5 -48
periodic checkin of Tue Feb 28 15:25:25 PST 1995
----
revision 4.1
date: 1995/02/28 23:10:04; author: chip; state: Exp;
periodic checkin of Tue Feb 28 15:10:01 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvss.ly,v
Working file: atlas2/compass/layouts/padintvss.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18;   selected revisions: 2
description:
----
revision 4.2
date: 1995/02/28 23:25:29; author: chip; state: Exp; lines: +5 -45
periodic checkin of Tue Feb 28 15:25:25 PST 1995
----
revision 4.1
date: 1995/02/28 23:10:06; author: chip; state: Exp;
periodic checkin of Tue Feb 28 15:10:01 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padm3.ly,v
Working file: atlas2/compass/layouts/padm3.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10;   selected revisions: 1
description:
----
revision 4.1
date: 1995/02/28 23:14:00; author: chip; state: Exp;
periodic checkin of Tue Feb 28 15:13:56 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v
Working file: atlas2/compass/layouts/padvdd.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 39;   selected revisions: 1
description:
----
revision 2.4
date: 1995/02/28 23:17:57; author: chip; state: Exp; lines: +6 -7
periodic checkin of Tue Feb 28 15:17:52 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_31x1.ly,v
Working file: atlas2/compass/layouts/uh_31x1.ly

head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;   selected revisions: 1
description:
----
revision 4.1
date: 1995/03/01 18:48:33; author: chip; state: Exp;
periodic checkin of Wed Mar 1 10:48:29 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_32x1.ly,v
Working file: atlas2/compass/layouts/uh_32x1.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;   selected revisions: 1
description:
----
revision 4.1
date: 1995/03/01 18:48:36; author: chip; state: Exp;
periodic checkin of Wed Mar 1 10:48:29 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v
Working file: atlas2/compass/layouts/vlsi.log
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3575; selected revisions: 80
description:
----
revision 1.305
date: 1995/03/03 14:36:36; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 3 06:36:33 PST 1995
----
revision 1.304
date: 1995/03/03 14:34:13; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Mar 3 06:34:03 PST 1995
----
revision 1.303
date: 1995/03/02 23:12:20; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 2 15:12:17 PST 1995
----
revision 1.302
date: 1995/03/02 21:57:32; author: chip; state: Exp; lines: +40 -0
periodic checkin of Thu Mar 2 13:57:23 PST 1995
----
revision 1.301
date: 1995/03/02 21:55:34; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 2 13:55:30 PST 1995
----
revision 1.300
date: 1995/03/02 21:53:10; author: chip; state: Exp; lines: +44 -0

```
                              ca Feb 28-Mar 6 1995.log
periodic checkin of Thu Mar  2 13:52:59 PST 1995
--------------------------
revision 1.299
date: 1995/03/02 21:50:29;  author: chip;  state: Exp;  lines: +44 -0
periodic checkin of Thu Mar  2 13:50:18 PST 1995
--------------------------
revision 1.298
date: 1995/03/02 21:48:09;  author: chip;  state: Exp;  lines: +46 -0
periodic checkin of Thu Mar  2 13:48:02 PST 1995
--------------------------
revision 1.297
date: 1995/03/02 21:44:09;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:44:06 PST 1995
--------------------------
revision 1.296
date: 1995/03/02 21:42:24;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 13:42:21 PST 1995
--------------------------
revision 1.295
date: 1995/03/02 21:40:38;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 13:40:35 PST 1995
--------------------------
revision 1.294
date: 1995/03/02 21:38:52;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:38:49 PST 1995
--------------------------
revision 1.293
date: 1995/03/02 21:37:08;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:37:04 PST 1995
--------------------------
revision 1.292
date: 1995/03/02 21:35:21;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 13:35:18 PST 1995
--------------------------
revision 1.291
date: 1995/03/02 21:31:59;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 13:31:56 PST 1995
--------------------------
revision 1.290
date: 1995/03/02 21:30:10;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:30:07 PST 1995
--------------------------
revision 1.289
date: 1995/03/02 21:28:22;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:28:19 PST 1995
--------------------------
revision 1.288
date: 1995/03/02 21:26:32;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:26:29 PST 1995
--------------------------
revision 1.287
date: 1995/03/02 21:24:40;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:24:37 PST 1995
--------------------------
revision 1.286
date: 1995/03/02 21:22:50;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 13:22:47 PST 1995
--------------------------
revision 1.285
date: 1995/03/02 21:21:02;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:20:59 PST 1995
--------------------------
revision 1.284
```

```
                            ca Feb 28-Mar 6 1995.log
date: 1995/03/02 21:19:08;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:19:05 PST 1995
----------------------------
revision 1.283
date: 1995/03/02 21:17:18;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:17:15 PST 1995
----------------------------
revision 1.282
date: 1995/03/02 21:15:32;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:15:29 PST 1995
----------------------------
revision 1.281
date: 1995/03/02 21:13:46;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:13:43 PST 1995
----------------------------
revision 1.280
date: 1995/03/02 21:11:52;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:11:49 PST 1995
----------------------------
revision 1.279
date: 1995/03/02 21:10:06;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:10:03 PST 1995
----------------------------
revision 1.278
date: 1995/03/02 21:08:21;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:08:19 PST 1995
----------------------------
revision 1.277
date: 1995/03/02 21:06:18;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 13:06:15 PST 1995
----------------------------
revision 1.276
date: 1995/03/02 21:04:27;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 13:04:24 PST 1995
----------------------------
revision 1.275
date: 1995/03/02 21:01:54;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 13:01:51 PST 1995
----------------------------
revision 1.274
date: 1995/03/02 20:59:50;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 12:59:47 PST 1995
----------------------------
revision 1.273
date: 1995/03/02 20:58:06;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 12:58:03 PST 1995
----------------------------
revision 1.272
date: 1995/03/02 20:56:20;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 12:56:18 PST 1995
----------------------------
revision 1.271
date: 1995/03/02 20:54:36;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 12:54:33 PST 1995
----------------------------
revision 1.270
date: 1995/03/02 19:55:25;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:55:22 PST 1995
----------------------------
revision 1.269
date: 1995/03/02 19:53:38;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:53:34 PST 1995
----------------------------
```

```
revision 1.268
date: 1995/03/02 19:51:46;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:51:43 PST 1995
---------------------------
revision 1.267
date: 1995/03/02 19:49:59;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:49:56 PST 1995
---------------------------
revision 1.266
date: 1995/03/02 19:48:13;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:48:11 PST 1995
---------------------------
revision 1.265
date: 1995/03/02 19:46:23;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 11:46:20 PST 1995
---------------------------
revision 1.264
date: 1995/03/02 19:44:38;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 11:44:34 PST 1995
---------------------------
revision 1.263
date: 1995/03/02 19:41:04;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Thu Mar  2 11:41:01 PST 1995
---------------------------
revision 1.262
date: 1995/03/02 19:39:15;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:39:12 PST 1995
---------------------------
revision 1.261
date: 1995/03/02 19:35:30;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:35:27 PST 1995
---------------------------
revision 1.260
date: 1995/03/02 19:33:41;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:33:38 PST 1995
---------------------------
revision 1.259
date: 1995/03/02 19:31:53;  author: chip;  state: Exp;  lines: +6 -0
periodic checkin of Thu Mar  2 11:31:50 PST 1995
---------------------------
revision 1.258
date: 1995/03/02 19:30:06;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:30:03 PST 1995
---------------------------
revision 1.257
date: 1995/03/02 19:28:21;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Thu Mar  2 11:28:19 PST 1995
---------------------------
revision 1.256
date: 1995/03/02 19:26:37;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:26:34 PST 1995
---------------------------
revision 1.255
date: 1995/03/02 19:24:48;  author: chip;  state: Exp;  lines: +5 -0
periodic checkin of Thu Mar  2 11:24:46 PST 1995
---------------------------
revision 1.254
date: 1995/03/02 19:21:45;  author: chip;  state: Exp;  lines: +6 -0
periodic checkin of Thu Mar  2 11:21:41 PST 1995
---------------------------
revision 1.253
date: 1995/03/02 19:08:10;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Thu Mar  2 11:08:07 PST 1995
```

----
revision 1.252
date: 1995/03/02 19:06:26; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 2 11:06:23 PST 1995
----
revision 1.251
date: 1995/03/02 18:46:55; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 2 10:46:52 PST 1995
----
revision 1.250
date: 1995/03/01 22:07:45; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 1 14:07:39 PST 1995
----
revision 1.249
date: 1995/03/01 22:05:23; author: chip; state: Exp; lines: +52 -0
periodic checkin of Wed Mar 1 14:05:16 PST 1995
----
revision 1.248
date: 1995/03/01 22:02:43; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 1 14:02:40 PST 1995
----
revision 1.247
date: 1995/03/01 21:59:21; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 1 13:59:18 PST 1995
----
revision 1.246
date: 1995/03/01 21:55:36; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 1 13:55:33 PST 1995
----
revision 1.245
date: 1995/03/01 21:53:40; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 1 13:53:37 PST 1995
----
revision 1.244
date: 1995/03/01 21:51:54; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 1 13:51:51 PST 1995
----
revision 1.243
date: 1995/03/01 21:50:08; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 1 13:50:05 PST 1995
----
revision 1.242
date: 1995/03/01 21:48:20; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 1 13:48:17 PST 1995
----
revision 1.241
date: 1995/03/01 21:46:28; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 1 13:46:26 PST 1995
----
revision 1.240
date: 1995/03/01 21:42:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 1 13:42:32 PST 1995
----
revision 1.239
date: 1995/03/01 21:39:00; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 1 13:38:58 PST 1995
----
revision 1.238
date: 1995/03/01 21:37:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 1 13:37:11 PST 1995
----
revision 1.237
date: 1995/03/01 21:34:12; author: chip; state: Exp; lines: +5 -0

```
                          ca Feb 28-Mar 6 1995.log
periodic checkin of Wed Mar  1 13:34:09 PST 1995
--------------------------
revision 1.236
date: 1995/03/01 21:30:22;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Wed Mar  1 13:30:19 PST 1995
--------------------------
revision 1.235
date: 1995/03/01 21:27:10;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Wed Mar  1 13:27:07 PST 1995
--------------------------
revision 1.234
date: 1995/03/01 21:25:24;  author: chip;  state: Exp;  lines: +1 -0
periodic checkin of Wed Mar  1 13:25:21 PST 1995
--------------------------
revision 1.233
date: 1995/03/01 21:21:52;  author: chip;  state: Exp;  lines: +5 -0
periodic checkin of Wed Mar  1 13:21:48 PST 1995
--------------------------
revision 1.232
date: 1995/03/01 18:56:39;  author: chip;  state: Exp;  lines: +8 -0
periodic checkin of Wed Mar  1 10:56:32 PST 1995
--------------------------
revision 1.231
date: 1995/03/01 18:48:40;  author: chip;  state: Exp;  lines: +4 -0
periodic checkin of Wed Mar  1 10:48:29 PST 1995
--------------------------
revision 1.230
date: 1995/02/28 23:25:32;  author: chip;  state: Exp;  lines: +4 -0
periodic checkin of Tue Feb 28 15:25:25 PST 1995
--------------------------
revision 1.229
date: 1995/02/28 23:20:01;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Tue Feb 28 15:19:58 PST 1995
--------------------------
revision 1.228
date: 1995/02/28 23:18:01;  author: chip;  state: Exp;  lines: +2 -0
periodic checkin of Tue Feb 28 15:17:52 PST 1995
--------------------------
revision 1.227
date: 1995/02/28 23:14:03;  author: chip;  state: Exp;  lines: +3 -0
periodic checkin of Tue Feb 28 15:13:56 PST 1995
--------------------------
revision 1.226
date: 1995/02/28 23:10:09;  author: chip;  state: Exp;  lines: +4 -0
periodic checkin of Tue Feb 28 15:10:01 PST 1995
==============================================================================
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n10s.ly,v
Working file: atlas2/compass/layouts/xland2n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 2
description:
--------------------------
revision 2.4
date: 1995/03/02 19:31:56;  author: chip;  state: Exp;  lines: +3 -2
periodic checkin of Thu Mar  2 11:31:50 PST 1995
--------------------------
revision 2.3
```

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/03/02 19:21:47;  author: chip;  state: Exp;  lines: +3 -2
periodic checkin of Thu Mar  2 11:21:41 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n160s.ly,v
Working file: atlas2/compass/layouts/xland2n160s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:48:11;  author: chip;  state: Exp;  lines: +4 -3
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n20s.ly,v
Working file: atlas2/compass/layouts/xland2n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:48:13;  author: chip;  state: Exp;  lines: +4 -2
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n40s.ly,v
Working file: atlas2/compass/layouts/xland2n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
----------------------------
revision 2.4
date: 1995/03/02 21:48:14;  author: chip;  state: Exp;  lines: +4 -4
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n80s.ly,v
Working file: atlas2/compass/layouts/xland2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
```

revision 2.5
date: 1995/03/02 21:59:43; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:59:40 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n10s.ly,v
working file: atlas2/compass/layouts/xland3n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:50:31; author: chip; state: Exp; lines: +4 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n160s.ly,v
working file: atlas2/compass/layouts/xland3n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:59:44; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:59:40 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n20s.ly,v
working file: atlas2/compass/layouts/xland3n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:48:16; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n40s.ly,v
working file: atlas2/compass/layouts/xland3n40s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:

-

----
revision 2.3
date: 1995/03/02 21:48:17; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n80s.ly,v
Working file: atlas2/compass/layouts/xland3n80s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:48:19; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n10s.ly,v
Working file: atlas2/compass/layouts/xland4n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:48:20; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n160s.ly,v
Working file: atlas2/compass/layouts/xland4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;   selected revisions: 1
description:
----
revision 2.7
date: 1995/03/02 21:48:21; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n20s.ly,v
Working file: atlas2/compass/layouts/xland4n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1

description:
----
revision 2.3
date: 1995/03/02 21:48:23; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n40s.ly,v
Working file: atlas2/compass/layouts/xland4n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 2.4
date: 1995/03/02 21:48:25; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n80s.ly,v
Working file: atlas2/compass/layouts/xland4n80s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 2.4
date: 1995/03/02 21:48:26; author: chip; state: Exp; lines: +4 -3
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn10s.ly,v
Working file: atlas2/compass/layouts/xlbufn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;   selected revisions: 1
description:
----
revision 2.4
date: 1995/03/02 21:48:27; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:48:02 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn160s.ly,v
Working file: atlas2/compass/layouts/xlbufn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 12;     selected revisions: 1
description:
----------------------------
revision 2.6
date: 1995/03/02 21:48:29;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:48:02 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn20s.ly,v
Working file: atlas2/compass/layouts/xlbufn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
----------------------------
revision 2.4
date: 1995/03/02 21:50:33;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn40s.ly,v
Working file: atlas2/compass/layouts/xlbufn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12;     selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:50:34;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:05:26;  author: chip;  state: Exp;  lines: +3 -4
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn80s.ly,v
Working file: atlas2/compass/layouts/xlbufn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12;     selected revisions: 2
description:
----------------------------
revision 2.7
date: 1995/03/02 21:50:36;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
----------------------------
revision 2.6
date: 1995/03/01 22:05:29;  author: chip;  state: Exp;  lines: +7 -10
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand12n20s.ly,v
Working file: atlas2/compass/layouts/xldand12n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 2.3
date: 1995/03/02 21:50:37;  author: chip;  state: Exp;  lines: +9 -9
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand17n20s.ly,v
Working file: atlas2/compass/layouts/xldand17n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 2.3
date: 1995/03/02 21:50:39;  author: chip;  state: Exp;  lines: +11 -11
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand2n10s.ly,v
Working file: atlas2/compass/layouts/xldand2n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 2.3
date: 1995/03/02 21:50:41;  author: chip;  state: Exp;  lines: +7 -5
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand3n10s.ly,v
Working file: atlas2/compass/layouts/xldand3n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 2.3
date: 1995/03/02 21:50:42;  author: chip;  state: Exp;  lines: +8 -7
periodic checkin of Thu Mar  2 13:50:18 PST 1995
```

==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand4n10s.ly,v
working file: atlas2/compass/layouts/xldand4n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:50:43; author: chip; state: Exp; lines: +8 -7
periodic checkin of Thu Mar 2 13:50:18 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand6n10s.ly,v
working file: atlas2/compass/layouts/xldand6n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:50:45; author: chip; state: Exp; lines: +8 -7
periodic checkin of Thu Mar 2 13:50:18 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand8n10s.ly,v
working file: atlas2/compass/layouts/xldand8n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:53:13; author: chip; state: Exp; lines: +9 -8
periodic checkin of Thu Mar 2 13:52:59 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor12n20s.ly,v
working file: atlas2/compass/layouts/xldor12n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;   selected revisions: 2
description:
----
revision 2.7
date: 1995/03/02 21:50:46; author: chip; state: Exp; lines: +6 -3

```
                              ca Feb 28-Mar 6 1995.log
periodic checkin of Thu Mar  2 13:50:18 PST 1995
--------------------------
revision 2.6
date: 1995/03/01 22:05:31;  author: chip;  state: Exp;  lines: +7 -11
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor17n20s.ly,v
Working file: atlas2/compass/layouts/xldor17n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 1
description:
--------------------------
revision 2.6
date: 1995/03/01 22:05:33;  author: chip;  state: Exp;  lines: +9 -13
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor2n10s.ly,v
Working file: atlas2/compass/layouts/xldor2n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:                            .
--------------------------
revision 2.6
date: 1995/03/02 21:50:47;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:50:18 PST 1995
--------------------------
revision 2.5
date: 1995/03/01 22:05:36;  author: chip;  state: Exp;  lines: +3 -3
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor3n10s.ly,v
Working file: atlas2/compass/layouts/xldor3n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
--------------------------
revision 2.4
date: 1995/03/02 21:50:49;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor4n10s.ly,v
Working file: atlas2/compass/layouts/xldor4n10s.ly
head: 2.5
branch:
```

-

```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 2
description:
--------------------------
revision 2.5
date: 1995/03/02 21:50:50;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:50:18 PST 1995
--------------------------
revision 2.4
date: 1995/03/01 22:05:37;  author: chip;  state: Exp;  lines: +2 -2
periodic checkin of Wed Mar  1 14:05:16 PST 1995
============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor6n10s.ly,v
working file: atlas2/compass/layouts/xldor6n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
--------------------------
revision 2.4
date: 1995/03/02 21:50:52;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:50:18 PST 1995
============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor8n10s.ly,v
working file: atlas2/compass/layouts/xldor8n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
--------------------------
revision 2.4
date: 1995/03/02 21:50:53;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:50:18 PST 1995
============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xllan10s.ly,v
working file: atlas2/compass/layouts/xllan10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;     selected revisions: 2
description:
--------------------------
revision 4.2
date: 1995/03/02 21:50:55;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
--------------------------
```

```
                         ca Feb 28-Mar 6 1995.log
revision 4.1
date: 1995/03/01 18:56:45;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 10:56:32 PST 1995
==============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x11an160s.ly,v
Working file: atlas2/compass/layouts/x11an160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11;    selected revisions: 2
description:
----------------------------
revision 4.2
date: 1995/03/02 21:50:56;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
----------------------------
revision 4.1
date: 1995/03/01 21:21:54;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 13:21:48 PST 1995
==============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x11an20s.ly,v
Working file: atlas2/compass/layouts/x11an20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;     selected revisions: 3
description:
----------------------------
revision 4.3
date: 1995/03/02 21:50:57;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
----------------------------
revision 4.2
date: 1995/03/01 22:05:39;  author: chip;  state: Exp;  lines: +4 -5
periodic checkin of Wed Mar  1 14:05:16 PST 1995
----------------------------
revision 4.1
date: 1995/03/01 18:56:48;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 10:56:32 PST 1995
==============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x11an40s.ly,v
Working file: atlas2/compass/layouts/x11an40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;     selected revisions: 3
description:
----------------------------
revision 4.3
date: 1995/03/02 21:50:59;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
```

ca Feb 28-Mar 6 1995.log
```
----------------------------
revision 4.2
date: 1995/03/01 22:07:48;  author: chip;  state: Exp;  lines: +6 -7
periodic checkin of Wed Mar  1 14:07:39 PST 1995
----------------------------
revision 4.1
date: 1995/03/01 18:56:52;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 10:56:32 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x11an80s.ly,v
Working file: atlas2/compass/layouts/x11an80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12;    selected revisions: 3
description:
----------------------------
revision 4.3
date: 1995/03/02 21:51:00;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
----------------------------
revision 4.2
date: 1995/03/01 22:07:50;  author: chip;  state: Exp;  lines: +11 -13
periodic checkin of Wed Mar  1 14:07:39 PST 1995
----------------------------
revision 4.1
date: 1995/03/01 18:56:56;  author: chip;  state: Exp;
periodic checkin of Wed Mar  1 10:56:32 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x11bn10s.ly,v
Working file: atlas2/compass/layouts/x11bn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 2
description:
----------------------------
revision 4.3
date: 1995/03/02 21:51:01;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
----------------------------
revision 4.2
date: 1995/03/01 22:07:52;  author: chip;  state: Exp;  lines: +3 -3
periodic checkin of Wed Mar  1 14:07:39 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x11bn160s.ly,v
Working file: atlas2/compass/layouts/x11bn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19;    selected revisions: 2
```

description:
----
revision 4.4
date: 1995/03/02 21:51:03; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 4.3
date: 1995/03/01 22:07:53; author: chip; state: Exp; lines: +25 -19
periodic checkin of Wed Mar 1 14:07:39 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x11bn20s.ly,v
Working file: atlas2/compass/layouts/x11bn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12;   selected revisions: 2
description:
----
revision 4.3
date: 1995/03/02 21:51:04; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:50:18 PST 1995
----
revision 4.2
date: 1995/03/01 22:05:41; author: chip; state: Exp; lines: +7 -8
periodic checkin of Wed Mar 1 14:05:16 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x11bn40s.ly,v
Working file: atlas2/compass/layouts/x11bn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 16;   selected revisions: 2
description:
----
revision 4.3
date: 1995/03/02 21:53:14; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:52:59 PST 1995
----
revision 4.2
date: 1995/03/01 22:05:42; author: chip; state: Exp; lines: +5 -6
periodic checkin of Wed Mar 1 14:05:16 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x11bn80s.ly,v
Working file: atlas2/compass/layouts/x11bn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 14;   selected revisions: 2
description:
----
revision 4.3

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/03/02 21:51:05;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
--------------------------
revision 4.2
date: 1995/03/01 22:05:44;  author: chip;  state: Exp;  lines: +12 -13
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n10s.ly,v
Working file: atlas2/compass/layouts/xlmux2n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
--------------------------
revision 2.6
date: 1995/03/02 21:51:07;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
--------------------------
revision 2.5
date: 1995/03/01 22:05:46;  author: chip;  state: Exp;  lines: +24 -35
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n160s.ly,v
Working file: atlas2/compass/layouts/xlmux2n160s.ly
head: 2.4
branch:
locks: strict
access list:                                                       .
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
--------------------------
revision 2.4
date: 1995/03/02 21:51:08;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n20s.ly,v
Working file: atlas2/compass/layouts/xlmux2n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
--------------------------
revision 2.6
date: 1995/03/02 21:51:10;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:50:18 PST 1995
--------------------------
revision 2.5
date: 1995/03/01 22:05:48;  author: chip;  state: Exp;  lines: +4 -4
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n40s.ly,v
Working file: atlas2/compass/layouts/xlmux2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:16;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n80s.ly,v
Working file: atlas2/compass/layouts/xlmux2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:17;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n10s.ly,v
Working file: atlas2/compass/layouts/xlmux3n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:18;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:05:49;  author: chip;  state: Exp;  lines: +3 -3
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n160s.ly,v
Working file: atlas2/compass/layouts/xlmux3n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
```

```
----------------------------
revision 2.3
date: 1995/03/02 21:53:20;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n20s.ly,v
Working file: atlas2/compass/layouts/xlmux3n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:21;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:05:51;  author: chip;  state: Exp;  lines: +3 -3
periodic checkin of Wed Mar  1 14:05:16 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n40s.ly,v
Working file: atlas2/compass/layouts/xlmux3n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:23;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n80s.ly,v
Working file: atlas2/compass/layouts/xlmux3n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:24;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n10s.ly,v
Working file: atlas2/compass/layouts/xlmux4n10s.ly
head: 2.6
branch:
locks: strict
```

access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:59:46; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:59:40 PST 1995
----
revision 2.5
date: 1995/03/01 22:05:52; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 1 14:05:16 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n160s.ly,v
working file: atlas2/compass/layouts/xlmux4n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:53:26; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n20s.ly,v
working file: atlas2/compass/layouts/xlmux4n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:59:47; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:59:40 PST 1995
----
revision 2.5
date: 1995/03/01 22:05:54; author: chip; state: Exp; lines: +6 -7
periodic checkin of Wed Mar 1 14:05:16 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n40s.ly,v
working file: atlas2/compass/layouts/xlmux4n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/03/02 21:57:35;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n80s.ly,v
Working file: atlas2/compass/layouts/xlmux4n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:57:36;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n10s.ly,v
Working file: atlas2/compass/layouts/xlmux5n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
------------------------
revision 2.6
date: 1995/03/02 21:57:38;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:07:55;  author: chip;  state: Exp;  lines: +18 -28
periodic checkin of Wed Mar  1 14:07:39 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n160s.ly,v
Working file: atlas2/compass/layouts/xlmux5n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 2.3
date: 1995/03/02 21:57:39;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n20s.ly,v
Working file: atlas2/compass/layouts/xlmux5n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
```

```
                           ca Feb 28-Mar 6 1995.log
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:57:41;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:07:57;  author: chip;  state: Exp;  lines: +6 -7
periodic checkin of Wed Mar  1 14:07:39 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n40s.ly,v
Working file: atlas2/compass/layouts/xlmux5n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:27;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n80s.ly,v
Working file: atlas2/compass/layouts/xlmux5n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:29;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n10s.ly,v
Working file: atlas2/compass/layouts/xlmux6n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:30;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:07:59;  author: chip;  state: Exp;  lines: +6 -7
periodic checkin of Wed Mar  1 14:07:39 PST 1995
```

==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n160s.ly,v
Working file: atlas2/compass/layouts/xlmux6n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:53:32; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n20s.ly,v
Working file: atlas2/compass/layouts/xlmux6n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:53:33; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:52:59 PST 1995
----
revision 2.5
date: 1995/03/01 22:08:01; author: chip; state: Exp; lines: +9 -9
periodic checkin of Wed Mar 1 14:07:39 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n40s.ly,v
Working file: atlas2/compass/layouts/xlmux6n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:53:35; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n80s.ly,v
Working file: atlas2/compass/layouts/xlmux6n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1

ca Feb 28-Mar 6 1995.log
description:
----
revision 2.5
date: 1995/03/02 21:53:36; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n10s.ly,v
Working file: atlas2/compass/layouts/xlmux7n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:53:38; author: chip; state: Exp; lines: +6 -3
periodic checkin of Thu Mar 2 13:52:59 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n160s.ly,v
Working file: atlas2/compass/layouts/xlmux7n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 2.3
date: 1995/03/02 21:53:39; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:52:59 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n20s.ly,v
Working file: atlas2/compass/layouts/xlmux7n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:53:41; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:52:59 PST 1995
----
revision 2.5
date: 1995/03/01 22:08:03; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 1 14:07:39 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n40s.ly,v
Working file: atlas2/compass/layouts/xlmux7n40s.ly
head: 2.5
branch:

```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:42;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n80s.ly,v
Working file: atlas2/compass/layouts/xlmux7n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:53:44;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n10s.ly,v
Working file: atlas2/compass/layouts/xlmux8n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
----------------------------
revision 2.6
date: 1995/03/02 21:53:45;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:52:59 PST 1995
----------------------------
revision 2.5
date: 1995/03/01 22:08:04;  author: chip;  state: Exp;  lines: +6 -7
periodic checkin of Wed Mar  1 14:07:39 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n160s.ly,v
Working file: atlas2/compass/layouts/xlmux8n160s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
----------------------------
revision 2.4
date: 1995/03/02 21:53:46;  author: chip;  state: Exp;  lines: +5 -4
periodic checkin of Thu Mar  2 13:52:59 PST 1995
=================================================================================
```

ca Feb 28-Mar 6 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n20s.ly,v
Working file: atlas2/compass/layouts/xlmux8n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
----
revision 2.6
date: 1995/03/02 21:53:48; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:52:59 PST 1995
----
revision 2.5
date: 1995/03/01 22:08:06; author: chip; state: Exp; lines: +7 -9
periodic checkin of Wed Mar 1 14:07:39 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n40s.ly,v
Working file: atlas2/compass/layouts/xlmux8n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:55:38; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:55:30 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n80s.ly,v
Working file: atlas2/compass/layouts/xlmux8n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:57:43; author: chip; state: Exp; lines: +5 -4
periodic checkin of Thu Mar 2 13:57:23 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n10s.ly,v
Working file: atlas2/compass/layouts/xlor2n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:

----
revision 2.5
date: 1995/03/02 21:57:44; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:57:23 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n160s.ly,v
Working file: atlas2/compass/layouts/xlor2n160s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:57:45; author: chip; state: Exp; lines: +13 -10
periodic checkin of Thu Mar 2 13:57:23 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n20s.ly,v
Working file: atlas2/compass/layouts/xlor2n20s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 2.4
date: 1995/03/02 21:57:47; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:57:23 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n40s.ly,v
Working file: atlas2/compass/layouts/xlor2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 2.5
date: 1995/03/02 21:57:48; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:57:23 PST 1995
===

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n80s.ly,v
Working file: atlas2/compass/layouts/xlor2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;   selected revisions: 1

```
                            ca Feb 28-Mar 6 1995.log
description:
----------------------------
revision 2.5
date: 1995/03/02 21:57:50;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n10s.ly,v
Working file: atlas2/compass/layouts/xlor3n10s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 2
description:
----------------------------
revision 2.4
date: 1995/03/02 21:57:51;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
----------------------------
revision 2.3
date: 1995/03/01 22:08:08;  author: chip;  state: Exp;  lines: +3 -3
periodic checkin of Wed Mar  1 14:07:39 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n160s.ly,v
Working file: atlas2/compass/layouts/xlor3n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
----------------------------
revision 2.7
date: 1995/03/02 21:57:53;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n20s.ly,v
Working file: atlas2/compass/layouts/xlor3n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
----------------------------
revision 2.7
date: 1995/03/02 21:57:54;  author: chip;  state: Exp;  lines: +7 -4
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=============================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n40s.ly,v
Working file: atlas2/compass/layouts/xlor3n40s.ly
head: 2.7
branch:
```

ca Feb 28-Mar 6 1995.log
```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;      selected revisions: 1
description:
----------------------------
revision 2.7
date: 1995/03/02 21:57:55;  author: chip;  state: Exp;  lines: +14 -9
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n80s.ly,v
Working file: atlas2/compass/layouts/xlor3n80s.ly
head: 2.8
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;      selected revisions: 1
description:
----------------------------
revision 2.8
date: 1995/03/02 21:57:57;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n10s.ly,v
Working file: atlas2/compass/layouts/xlor4n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 2.5
date: 1995/03/02 21:57:58;  author: chip;  state: Exp;  lines: +6 -3
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n160s.ly,v
Working file: atlas2/compass/layouts/xlor4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;      selected revisions: 1
description:
----------------------------
revision 2.7
date: 1995/03/02 21:58:00;  author: chip;  state: Exp;  lines: +5 -2
periodic checkin of Thu Mar  2 13:57:23 PST 1995
=================================================================================

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n40s.ly,v
Working file: atlas2/compass/layouts/xlor4n40s.ly
head: 2.6
```

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 1
description:
----
revision 2.6
date: 1995/03/02 21:58:02; author: chip; state: Exp; lines: +5 -2
periodic checkin of Thu Mar 2 13:57:23 PST 1995
==

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n80s.ly,v
Working file: atlas2/compass/layouts/xlor4n80s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11;   selected revisions: 4
description:
----
revision 2.11
date: 1995/03/02 19:31:57; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 2 11:31:50 PST 1995
----
revision 2.10
date: 1995/03/02 19:21:48; author: chip; state: Exp; lines: +4 -2
periodic checkin of Thu Mar 2 11:21:41 PST 1995
----
revision 2.9
date: 1995/03/02 19:08:12; author: chip; state: Exp; lines: +29 -29
periodic checkin of Thu Mar 2 11:08:07 PST 1995
----
revision 2.8
date: 1995/03/02 18:48:43; author: chip; state: Exp; lines: +13 -8
periodic checkin of Thu Mar 2 10:48:41 PST 1995
==

RCS file: /p/cvsroot/atlas2/doc/BOM,v
Working file: atlas2/doc/BOM
head: 208.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 203.0
keyword substitution: kv
total revisions: 101;   selected revisions: 2
description:
releasebom adding BOM
----
revision 29.2
date: 1995/03/02 22:06:07; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/doc
        map.ht

Draft of automatic mapping flow
----
revision 29.1
date: 1995/03/02 20:24:42; author: brianl; state: Exp; lines: +2 -2

Release Target: atlas/doc
        map.ht

Added flow chart
==

RCS file: /p/cvsroot/atlas2/doc/map.ht,v
Working file: atlas2/doc/map.ht
head: 200.2
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.1
keyword substitution: kv
total revisions: 9;   selected revisions: 2
description:
----
revision 27.3
date: 1995/03/02 22:05:49; author: brianl; state: Exp; lines: +83 -19
Draft of automatic mapping flow
----
revision 27.2
date: 1995/03/02 20:24:23; author: brianl; state: Exp; lines: +85 -1
Added flow chart
==

RCS file: /p/cvsroot/atlas2/gards/Makefile.base,v
Working file: atlas2/gards/Makefile.base
head: 200.10
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.10
keyword substitution: kv
total revisions: 22;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/01 01:09:10; author: tom; state: Exp; lines: +9 -9
add vlsimm_script, clean-request; use -C option on piddles invocation
==

RCS file: /p/cvsroot/atlas2/gards/Attic/clean-request,v
Working file: atlas2/gards/clean-request
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 2.1
date: 1995/03/01 01:09:12; author: tom; state: Exp;
add vlsimm_script, clean-request; use -C option on piddles invocation
==

RCS file: /p/cvsroot/atlas2/gards/Attic/vlsimm_script,v
Working file: atlas2/gards/vlsimm_script
head: 200.0

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
----------------------------
revision 2.1
date: 1995/03/01 01:09:16;  author: tom;  state: Exp;
add vlsimm_script, clean-request; use -C option on piddles invocation
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/BOM,v
working file: atlas2/ged/BOM
head: 207.61
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 207.57
keyword substitution: kv
total revisions: 1847;  selected revisions: 3
description:
----------------------------
revision 5.1
date: 1995/03/03 00:58:16;  author: ong;  state: Exp;  lines: +2 -2
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 5.0
date: 1995/03/02 02:42:08;  author: tom;  state: Exp;  lines: +1 -1
Release Target: atlas/ged

The release is primarily to get a new master.local file that includes the
`xl' section.
----------------------------
revision 4.10
date: 1995/03/02 02:42:00;  author: tom;  state: Exp;  lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/Attic/README,v
working file: atlas2/ged/README
head: 200.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 21;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/02 02:13:17;  author: tom;  state: Exp;  lines: +2 -1
add description of xl library
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v
working file: atlas2/ged/xv/BOM
head: 212.0
branch:
```

locks: strict
access list:
symbolic names:
        b4_rich: 212.0
keyword substitution: kv
total revisions: 348;   selected revisions: 2
description:
releasebom adding BOM
----
revision 10.0
date: 1995/03/03 00:57:55; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 9.1
date: 1995/03/03 00:57:39; author: ong; state: Exp; lines: +32 -32
releasebom: File needs to be up-to-date to use commit -r
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvand2n/Attic/BOM,v
Working file: atlas2/ged/xv/xvand2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:38:23; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:38:12; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvand2n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvand2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:31:08; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvand2n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvand2n/body.2.1
head: 1.3

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:31:11; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvand3n/Attic/BOM,v
Working file: atlas2/ged/xv/xvand3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:38:56; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:38:46; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvand3n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvand3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:31:16; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvand3n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvand3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1

```
                         ca Feb 28-Mar 6 1995.log
description:
---------------------------
revision 1.3
date: 1995/03/03 00:31:19;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvand4n/Attic/BOM,v
Working file: atlas2/ged/xv/xvand4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
---------------------------
revision 4.0
date: 1995/03/03 00:39:28;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
---------------------------
revision 3.1
date: 1995/03/03 00:39:18;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvand4n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvand4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.3
date: 1995/03/03 00:31:25;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvand4n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvand4n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.3
date: 1995/03/03 00:31:27;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
```

===

RCS file: /p/cvsroot/atlas2/ged/xv/xvbufn/BOM,v
Working file: atlas2/ged/xv/xvbufn/BOM
head: 204.0
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 204.0
keyword substitution: kv
total revisions: 19;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:40:01; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:39:52; author: ong; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvbufn/body.1.1,v
Working file: atlas2/ged/xv/xvbufn/body.1.1
head: 200.4
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.4
keyword substitution: kv
total revisions: 9;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:31:32; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdand12n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:40:32; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/03/03 00:40:22;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdand12n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:37;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdand12n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:41;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdand17n/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;    selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 5.0
date: 1995/03/03 00:41:04;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 4.1
date: 1995/03/03 00:40:53;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdand17n/body.1.1
```

ca Feb 28-Mar 6 1995.log
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.4
date: 1995/03/03 00:31:45; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdand17n/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.4
date: 1995/03/03 00:31:48; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdand2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:41:36; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:41:26; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdand2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:54;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
================================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdand2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:31:57;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
================================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdand3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:42:08;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:41:58;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
================================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdand3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:32:02;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
```

and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdand3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:04; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdand4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:42:41; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:42:32; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdand4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:10; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdand4n/body.2.1
head: 1.3

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:13; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdand6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM ·
----
revision 4.0
date: 1995/03/03 00:43:13; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:43:02; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdand6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:17; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdand6n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1

description:
----
revision 1.3
date: 1995/03/03 00:32:20; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdand8n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:43:43; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:43:34; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdand8n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:25; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdand8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:32:27; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"

==

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlb/Attic/BOM,v
Working file: atlas2/ged/xv/xvdlb/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 3.0
date: 1995/03/03 00:44:25; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 2.1
date: 1995/03/03 00:44:16; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlb/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdlb/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 2
description:
----
revision 1.3
date: 1995/03/03 00:32:32; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
----
revision 1.2
date: 1995/03/03 00:14:38; author: ong; state: Exp; lines: +16 -15
added parmsche parameters to body
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlb/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdlb/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 2
description:
----
revision 1.3
date: 1995/03/03 00:32:35; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
----
revision 1.2

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/03/03 00:14:42;  author: ong;  state: Exp;  lines: +17 -16
added parmsche parameters to body
===============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdor12n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:44:57;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:44:48;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdor12n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:32:40;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdor12n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:32:43;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdor17n/BOM
```

head: 5.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;   selected revisions: 2
description:
releasebom adding BOM
----
revision 5.0
date: 1995/03/03 00:45:30; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 4.1
date: 1995/03/03 00:45:18; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdor17n/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.4
date: 1995/03/03 00:32:48; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdor17n/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.4
date: 1995/03/03 00:32:51; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdor2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

```
                                   ca Feb 28-Mar 6 1995.log
total revisions: 6;        selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:45:59;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:45:50;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=================================================================================
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdor2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;        selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:32:57;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=================================================================================
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/body.2.1,v  .
Working file: atlas2/ged/xv/xvdor2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;        selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:32:59;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=================================================================================
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdor3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;        selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:46:29;  author: ong;  state: Exp;  lines: +1 -1
```

Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:46:20; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdor3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:33:05; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdor3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:33:08; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/BOM,v
working file: atlas2/ged/xv/xvdor4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:47:04; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:46:54; author: ong; state: Exp; lines: +3 -3

```
                                ca Feb 28-Mar 6 1995.log
releasebom: File needs to be up-to-date to use commit -r
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdor4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:33:13;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdor4n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:33:16;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdor6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:47:36;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:47:26;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdor6n/body.1.1
head: 1.3
```

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:33:21;   author: ong;   state: Exp;   lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdor6n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:33:23;   author: ong;   state: Exp;   lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdor8n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:48:07;   author: ong;   state: Exp;   lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:47:58;   author: ong;   state: Exp;   lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdor8n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1

description:
----
revision 1.3
date: 1995/03/03 00:33:29; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvdor8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:33:31; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvlan/Attic/BOM,v
Working file: atlas2/ged/xv/xvlan/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:48:48; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:48:38; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvlan/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvlan/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 2
description:
----
revision 1.3
date: 1995/03/03 00:33:36; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"

```
---------------------------
revision 1.2
date: 1995/03/03 00:14:50;  author: ong;  state: Exp;  lines: +4 -3
added parmsche parameters to body
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvlan/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvlan/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;     selected revisions: 2
description:
---------------------------
revision 1.3
date: 1995/03/03 00:33:40;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
---------------------------
revision 1.2
date: 1995/03/03 00:14:53;  author: ong;  state: Exp;  lines: +4 -3
added parmsche parameters to body
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvlbn/Attic/BOM,v
Working file: atlas2/ged/xv/xvlbn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19;    selected revisions: 2
description:
releasebom adding BOM
---------------------------
revision 4.0
date: 1995/03/03 00:49:22;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
---------------------------
revision 3.1
date: 1995/03/03 00:49:11;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvlbn/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvlbn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
---------------------------
revision 1.3
date: 1995/03/03 00:33:45;  author: ong;  state: Exp;  lines: +1 -1
```

```
                             ca Feb 28-Mar 6 1995.log
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvlbn/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvlbn/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:33:48;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux2n/Attic/BOM,v
Working file: atlas2/ged/xv/xvmux2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:49:57;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:49:47;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux2n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvmux2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:33:54;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux2n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvmux2n/body.2.1
```

ca Feb 28-Mar 6 1995.log
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 00:33:56; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux3n/Attic/BOM,v
Working file: atlas2/ged/xv/xvmux3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:50:28; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:50:19; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux3n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvmux3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:34:02; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux3n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvmux3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

```
total revisions: 3;      selected revisions: 1
description:
------------------------
revision 1.3
date: 1995/03/03 00:34:05;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux4n/Attic/BOM,v
Working file: atlas2/ged/xv/xvmux4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 2
description:
releasebom adding BOM
---------------------------
revision 4.0
date: 1995/03/03 00:50:59;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
---------------------------
revision 3.1
date: 1995/03/03 00:50:50;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux4n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvmux4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
------------------------
revision 1.3
date: 1995/03/03 00:34:11;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux4n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvmux4n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
------------------------
revision 1.2
date: 1995/03/03 00:34:14;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
```

and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux5n/Attic/BOM,v
Working file: atlas2/ged/xv/xvmux5n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:51:36; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:51:26; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux5n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvmux5n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:34:19; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux5n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvmux5n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 00:34:22; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux6n/Attic/BOM,v
Working file: atlas2/ged/xv/xvmux6n/BOM
head: 4.0

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:52:06; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:51:57; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux6n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvmux6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:34:27; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux6n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvmux6n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 00:34:30; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux7n/Attic/BOM,v
Working file: atlas2/ged/xv/xvmux7n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2

```
                          ca Feb 28-Mar 6 1995.log
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:52:37;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:52:27;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux7n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux7n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
-------------------------
revision 1.3
date: 1995/03/03 00:34:35;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux7n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvmux7n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
-------------------------
revision 1.2
date: 1995/03/03 00:34:37;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8n/Attic/BOM,v
working file: atlas2/ged/xv/xvmux8n/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10;    selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 6.0
date: 1995/03/03 00:54:52;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv
```

New parmsche parameters on bodies
----
revision 5.1
date: 1995/03/03 00:54:16; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvmux8n/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.4
date: 1995/03/03 00:34:43; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvmux8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:34:46; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvor2n/Attic/BOM,v
Working file: atlas2/ged/xv/xvor2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:55:41; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:55:28; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

==

RCS file: /p/cvsroot/atlas2/ged/xv/xvor2n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvor2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:34:51; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvor2n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvor2n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:34:54; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvor3n/Attic/BOM,v
Working file: atlas2/ged/xv/xvor3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;   selected revisions: 2
description:
releasebom adding BOM
----
revision 4.0
date: 1995/03/03 00:56:23; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----
revision 3.1
date: 1995/03/03 00:56:10; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
==

RCS file: /p/cvsroot/atlas2/ged/xv/xvor3n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvor3n/body.1.1
head: 1.3
branch:

```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:35:00;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvor3n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvor3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.3
date: 1995/03/03 00:35:02;  author: ong;  state: Exp;  lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvor4n/Attic/BOM,v
Working file: atlas2/ged/xv/xvor4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;     selected revisions: 2
description:
releasebom adding BOM
----------------------------
revision 4.0
date: 1995/03/03 00:57:03;  author: ong;  state: Exp;  lines: +1 -1
Release Target: atlas/ged/xv

New parmsche parameters on bodies
----------------------------
revision 3.1
date: 1995/03/03 00:56:50;  author: ong;  state: Exp;  lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=============================================================================

RCS file: /p/cvsroot/atlas2/ged/xv/xvor4n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvor4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
```

----
revision 1.3
date: 1995/03/03 00:35:08; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/ged/xv/xvor4n/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvor4n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.3
date: 1995/03/03 00:35:10; author: ong; state: Exp; lines: +1 -1
Changed parmsche parameters from "NMOS" to "NSIZE"
and "PMOS" to "PSIZE"
===

RCS file: /p/cvsroot/atlas2/leafgen/Makefile,v
Working file: atlas2/leafgen/Makefile
head: 200.18
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 200.18
keyword substitution: kv
total revisions: 50;   selected revisions: 3
description:
----
revision 1.8
date: 1995/03/03 20:15:15; author: brianl; state: Exp; lines: +4 -8
Check parmsche exit code
----
revision 1.7
date: 1995/03/03 19:22:43; author: brianl; state: Exp; lines: +2 -2
Really fix s power level extraction
----
revision 1.6
date: 1995/03/03 19:15:04; author: brianl; state: Exp; lines: +2 -2
Fix s power level extraction
===

RCS file: /p/cvsroot/atlas2/leafgen/Attic/makeDepend,v
Working file: atlas2/leafgen/makeDepend
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 15;   selected revisions: 1
description:
----
revision 3.5
date: 1995/03/04 02:55:38; author: ong; state: Exp; lines: +2 -2
Adding xvdlb to depend list and parmsche parameters to tech.tcl files

==

RCS file: /p/cvsroot/atlas2/leafgen/Attic/parmsche-tech.tcl,v
working file: atlas2/leafgen/parmsche-tech.tcl
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12;   selected revisions: 1
description:
----
revision 3.4
date: 1995/03/04 02:55:42; author: ong; state: Exp; lines: +9 -1
Adding xvdlb to depend list and parmsche parameters to tech.tcl files
==

RCS file: /p/cvsroot/c_tests/nullstone/config.sh,v
working file: c_tests/nullstone/config.sh
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.3
        NS_3_8_8: 1.1.1.2
        NS_3_8_4: 1.1.1.1
        TEAM1: 1.1.1
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 22:11:16; author: claseman; state: Exp; lines: +3 -3
make compatible with sgi
==

RCS file: /p/cvsroot/c_tests/nullstone/run_nullstone,v
working file: c_tests/nullstone/run_nullstone
head: 1.20
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.20
keyword substitution: kv
total revisions: 20;   selected revisions: 2
description:
initial revision
----
revision 1.2
date: 1995/03/03 23:22:01; author: claseman; state: Exp; lines: +1 -0
set MUSEROOT to /a/soft/osf
----
revision 1.1
date: 1995/03/03 22:25:54; author: claseman; state: Exp;
initial revision
==

RCS file: /p/cvsroot/c_tests/nullstone/config/terp/commands,v
working file: c_tests/nullstone/config/terp/commands
head: 1.5

branch:
locks: strict
access list:
symbolic names:
        b4_rich: 1.5
        NS_3_8_4: 1.1.1.1
        TEAM1: 1.1.1
keyword substitution: kv
total revisions: 6;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 22:19:10; author: claseman; state: Exp; lines: +18 -3
do all optimization levels
===

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config.sh,v
Working file: c_tests/nullstone_3_8_4/config.sh
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        NS_3_8_4: 1.1.1.1
        TEAM1: 1.1.1
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 22:11:16; author: claseman; state: Exp; lines: +3 -3
make compatible with sgi
===

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/run_nullstone,v
Working file: c_tests/nullstone_3_8_4/run_nullstone
head: 1.19
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19;   selected revisions: 2
description:
initial revision
----
revision 1.2
date: 1995/03/03 23:22:01; author: claseman; state: Exp; lines: +1 -0
set MUSEROOT to /a/soft/osf
----
revision 1.1
date: 1995/03/03 22:25:54; author: claseman; state: Exp;
initial revision
===

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/terp/commands,v
Working file: c_tests/nullstone_3_8_4/config/terp/commands
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        NS_3_8_4: 1.1.1.1

ca Feb 28-Mar 6 1995.log
        TEAM1: **1.1.1**
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 22:19:10; author: claseman; state: Exp; lines: +18 -3
do all optimization levels
===

RCS file: /p/cvsroot/c_tests/plumhall/cnews94.10,v
Working file: c_tests/plumhall/cnews94.10
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:05:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:05:37; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/cnews94.11,v
Working file: c_tests/plumhall/cnews94.11
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:05:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:05:07; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform.exp,v
Working file: c_tests/plumhall/conform.exp
head: 1.13
branch:
locks: strict
access list:
symbolic names:

```
                              ca Feb 28-Mar 6 1995.log
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 15;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:09;  author: claseman;  state: Exp;  lines: +3 -5
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/freestan.exp,v
Working file: c_tests/plumhall/freestan.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:11;  author: claseman;  state: Exp;  lines: +11 -11
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/fulltest.exp,v
Working file: c_tests/plumhall/fulltest.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:05:35;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:05:36;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional.exp,v
Working file: c_tests/plumhall/optional.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
```

        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:12; author: claseman; state: Exp; lines: +1 -1
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/part1.chk,v
Working file: c_tests/plumhall/part1.chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:14; author: claseman; state: Exp; lines: +681 -645
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/part1.du,v
Working file: c_tests/plumhall/part1.du
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:16; author: claseman; state: Exp; lines: +679 -643
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/regressi.exp,v
Working file: c_tests/plumhall/regressi.exp
head: 1.7
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 9;   selected revisions: 1
description:
----
revision 1.1.1.2

date: 1995/02/28 23:05:35; author: claseman; state: Exp; lines: +3 -4
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/runcap.c,v
Working file: c_tests/plumhall/runcap.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:19; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/runcon.c,v
Working file: c_tests/plumhall/runcon.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:20; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/runerr.c,v
Working file: c_tests/plumhall/runerr.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:22; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/runexp.c,v
Working file: c_tests/plumhall/runexp.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:23; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/runxp2.c,v
Working file: c_tests/plumhall/runxp2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:25; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/score.c,v
Working file: c_tests/plumhall/score.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:17; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/shar.c,v
Working file: c_tests/plumhall/shar.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2

```
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:26;  author: claseman;  state: Exp;  lines: +2 -2
plumhall update version 6.0
============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/snap.c,v
Working file: c_tests/plumhall/snap.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:28;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/src.c,v
Working file: c_tests/plumhall/src.c
head: 1.1
branch: 1.1.1                    .
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:27;  author: claseman;  state: Exp;  lines: +2 -2
plumhall update version 6.0
============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/summary.c,v
Working file: c_tests/plumhall/summary.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-------------------------
```

revision 1.1.1.2
date: 1995/02/28 23:05:30; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/tmpchk.chk,v
Working file: c_tests/plumhall/tmpchk.chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:05:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:05:07; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/txtchk.c,v
Working file: c_tests/plumhall/txtchk.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:33; author: claseman; state: Exp; lines: +3 -27
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/unarc.c,v
Working file: c_tests/plumhall/unarc.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:31; author: claseman; state: Exp; lines: +3 -3

plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/unsharc.c,v
Working file: c_tests/plumhall/unsharc.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:34; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/b5.h,v
Working file: c_tests/plumhall/conform/b5.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:34; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/b52411.h,v
Working file: c_tests/plumhall/conform/b52411.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:45; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/b52412.h,v
Working file: c_tests/plumhall/conform/b52412.h
head: 1.1

branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:46; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/b52413.h,v
Working file: c_tests/plumhall/conform/b52413.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:52; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/b52414.h,v
Working file: c_tests/plumhall/conform/b52414.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:53; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/b52415.h,v
Working file: c_tests/plumhall/conform/b52415.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1

```
                              ca Feb 28-Mar 6 1995.log
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:54;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/b52416.h,v
Working file: c_tests/plumhall/conform/b52416.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
         plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:56;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/b52417.h,v
Working file: c_tests/plumhall/conform/b52417.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
         plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:57;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/b52418.h,v
Working file: c_tests/plumhall/conform/b52418.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
         plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
```

```
                                ca Feb 28-Mar 6 1995.log
date: 1995/02/28 23:06:58;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c61.c,v
Working file: c_tests/plumhall/conform/c61.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:37;  author: claseman;  state: Exp;  lines: +4 -4
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c6134.h,v
Working file: c_tests/plumhall/conform/c6134.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:47;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c618.h,v
Working file: c_tests/plumhall/conform/c618.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:40;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c61h.h,v
Working file: c_tests/plumhall/conform/c61h.h
```

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:42; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/c61sco.h,v
Working file: c_tests/plumhall/conform/c61sco.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:59; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/c62.c,v
Working file: c_tests/plumhall/conform/c62.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:43; author: claseman; state: Exp; lines: +7 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/c63a.c,v
Working file: c_tests/plumhall/conform/c63a.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2

```
                              ca Feb 28-Mar 6 1995.log
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:39;  author: claseman;  state: Exp;  lines: +5 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c63b.c,v
Working file: c_tests/plumhall/conform/c63b.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:44;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c63c.c,v
Working file: c_tests/plumhall/conform/c63c.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:46;  author: claseman;  state: Exp;  lines: +19 -19
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c64.c,v
Working file: c_tests/plumhall/conform/c64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
```

ca Feb 28-Mar 6 1995.log
revision 1.1.1.2
date: 1995/02/28 23:05:47; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/c65.c,v
Working file: c_tests/plumhall/conform/c65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:48; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/c65b.c,v
Working file: c_tests/plumhall/conform/c65b.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:50; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/c66.c,v
Working file: c_tests/plumhall/conform/c66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:05:52; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/c67.c,v

ca Feb 28-Mar 6 1995.log
```
Working file: c_tests/plumhall/conform/c67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:53;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c68.c,v
Working file: c_tests/plumhall/conform/c68.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:55;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c681.h,v
Working file: c_tests/plumhall/conform/c681.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:56;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c682a.h,v
Working file: c_tests/plumhall/conform/c682a.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
                              ca Feb 28-Mar 6 1995.log
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:58;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c682b.h,v
working file: c_tests/plumhall/conform/c682b.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:01;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/c686.h,v
working file: c_tests/plumhall/conform/c686.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:02;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d71.c,v
working file: c_tests/plumhall/conform/d71.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
```

```
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:03;  author: claseman;  state: Exp;  lines: +16 -19
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d710.c,v
Working file: c_tests/plumhall/conform/d710.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:05:59;  author: claseman;  state: Exp;  lines: +33 -19
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d711.c,v
Working file: c_tests/plumhall/conform/d711.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:05;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d711b.c,v
Working file: c_tests/plumhall/conform/d711b.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:06;  author: claseman;  state: Exp;  lines: +18 -7
plumhall update version 6.0
=============================================================================
```

```
                              ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/c_tests/plumhall/conform/d712.c,v
Working file: c_tests/plumhall/conform/d712.c
head: 1.5
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 7;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:07;  author: claseman;  state: Exp;  lines: +7 -5
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d71a.c,v
Working file: c_tests/plumhall/conform/d71a.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:08;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d71b.c,v
Working file: c_tests/plumhall/conform/d71b.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:10;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d71c.c,v
Working file: c_tests/plumhall/conform/d71c.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

```
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:11;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d71d.c,v
Working file: c_tests/plumhall/conform/d71d.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:12;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d72.c,v
Working file: c_tests/plumhall/conform/d72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:13;  author: claseman;  state: Exp;  lines: +3 -4
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/d72a.c,v
Working file: c_tests/plumhall/conform/d72a.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4;      selected revisions: 1
```

description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:14; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d73.c,v
Working file: c_tests/plumhall/conform/d73.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:15; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d73h.h,v
Working file: c_tests/plumhall/conform/d73h.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:16; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d74.c,v
Working file: c_tests/plumhall/conform/d74.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:18; author: claseman; state: Exp; lines: +4 -4
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d75.c,v
Working file: c_tests/plumhall/conform/d75.c
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:19; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d76.c,v
Working file: c_tests/plumhall/conform/d76.c
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:20; author: claseman; state: Exp; lines: +6 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d77.c,v
Working file: c_tests/plumhall/conform/d77.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:22; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d77b.c,v
Working file: c_tests/plumhall/conform/d77b.c
head: 1.1
branch: 1.1.1
locks: strict

access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:23; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d78.c,v
Working file: c_tests/plumhall/conform/d78.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:24; author: claseman; state: Exp; lines: +10 -7
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d79.c,v
Working file: c_tests/plumhall/conform/d79.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:25; author: claseman; state: Exp; lines: +23 -13
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/d79a.c,v
Working file: c_tests/plumhall/conform/d79a.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

```
                                ca Feb 28-Mar 6 1995.log
total revisions: 3;       selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:27;  author: claseman;  state: Exp;  lines: +6 -6
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/environ.c,v
Working file: c_tests/plumhall/conform/environ.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;       selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:31;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/lang.c,v
Working file: c_tests/plumhall/conform/lang.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4;       selected revisions: 2
description:
----------------------------
revision 1.2
date: 1995/03/01 18:28:41;  author: claseman;  state: Exp;  lines: +4 -4
add missing quotation
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:32;  author: claseman;  state: Exp;  lines: +4 -4
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/lib.c,v
Working file: c_tests/plumhall/conform/lib.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;       selected revisions: 1
description:
```

ca Feb 28-Mar 6 1995.log
```
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:30;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/libfrst.c,v
Working file: c_tests/plumhall/conform/libfrst.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:50;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/license.h,v
Working file: c_tests/plumhall/conform/license.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:00;  author: claseman;  state: Exp;  lines: +5 -5
plumhall update version 6.0
==================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/prec1.c,v
Working file: c_tests/plumhall/conform/prec1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:06:35;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==================================================================================
```

RCS file: /p/cvsroot/c_tests/plumhall/conform/prec1a.c,v
Working file: c_tests/plumhall/conform/prec1a.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:38; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/prec1b.c,v
Working file: c_tests/plumhall/conform/prec1b.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:39; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/prec1c.c,v
Working file: c_tests/plumhall/conform/prec1c.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:40; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/prec2.c,v
Working file: c_tests/plumhall/conform/prec2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:36; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/prec2a.c,v
Working file: c_tests/plumhall/conform/prec2a.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:42; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/prec2b.c,v
Working file: c_tests/plumhall/conform/prec2b.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:43; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/prec2c.c,v
Working file: c_tests/plumhall/conform/prec2c.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1

description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:44; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/util.c,v
Working file: c_tests/plumhall/conform/util.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:06:28; author: claseman; state: Exp; lines: +6 -5
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/capacity/b52411.h,v
Working file: c_tests/plumhall/conform/capacity/b52411.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:32; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/capacity/b52412.h,v
Working file: c_tests/plumhall/conform/capacity/b52412.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:23; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/capacity/b52413.h,v
Working file: c_tests/plumhall/conform/capacity/b52413.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:24; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/capacity/b52414.h,v
Working file: c_tests/plumhall/conform/capacity/b52414.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:25; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/capacity/b52415.h,v
Working file: c_tests/plumhall/conform/capacity/b52415.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:26; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/capacity/b52416.h,v
Working file: c_tests/plumhall/conform/capacity/b52416.h
head: 1.1
branch: 1.1.1
locks: strict

access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:27; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/capacity/b52417.h,v
Working file: c_tests/plumhall/conform/capacity/b52417.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:28; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/capacity/b52418.h,v
Working file: c_tests/plumhall/conform/capacity/b52418.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:29; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/capacity/capacity.c,v
Working file: c_tests/plumhall/conform/capacity/capacity.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:31;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/errauto/j91.in,v
Working file: c_tests/plumhall/conform/errauto/j91.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:11;  author: claseman;  state: Exp;  lines: +4 -2
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/errauto/m61.in,v
Working file: c_tests/plumhall/conform/errauto/m61.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:12;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/errauto/m62.in,v
Working file: c_tests/plumhall/conform/errauto/m62.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:02;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
```

==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errauto/m63.in,v
Working file: c_tests/plumhall/conform/errauto/m63.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:03; author: claseman; state: Exp; lines: +6 -5
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errauto/m64.in,v
Working file: c_tests/plumhall/conform/errauto/m64.in
head: 1.2
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:05; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errauto/m65.in,v
Working file: c_tests/plumhall/conform/errauto/m65.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:06; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errauto/m66.in,v
Working file: c_tests/plumhall/conform/errauto/m66.in
head: 1.1
branch: 1.1.1

```
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:07;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================
RCS file: /p/cvsroot/c_tests/plumhall/conform/errauto/m67.in,v
Working file: c_tests/plumhall/conform/errauto/m67.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:08;  author: claseman;  state: Exp;  lines: +7 -3
plumhall update version 6.0
=================================================================================
RCS file: /p/cvsroot/c_tests/plumhall/conform/errauto/m68.in,v
Working file: c_tests/plumhall/conform/errauto/m68.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:09;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================
RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m61chk,v
Working file: c_tests/plumhall/conform/errtests/m61chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
```

keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:54; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m63005.c,v
working file: c_tests/plumhall/conform/errtests/m63005.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:58; author: claseman; state: Exp; lines: +2 -1
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m63025.c,v
working file: c_tests/plumhall/conform/errtests/m63025.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:10:13; author: claseman; state: Exp; lines: +1 -1
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m63chk,v
working file: c_tests/plumhall/conform/errtests/m63chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:34; author: claseman; state: Exp; lines: +3 -3

plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m64chk,v
working file: c_tests/plumhall/conform/errtests/m64chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:10:42; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m65chk,v
working file: c_tests/plumhall/conform/errtests/m65chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:10:06; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m66chk,v
working file: c_tests/plumhall/conform/errtests/m66chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:11:43; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m67002.c,v
working file: c_tests/plumhall/conform/errtests/m67002.c
head: 1.1

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:11:45;  author: claseman;  state: Exp;  lines: +4 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m67chk,v
Working file: c_tests/plumhall/conform/errtests/m67chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:10:52;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/errtests/m68chk,v
Working file: c_tests/plumhall/conform/errtests/m68chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:11:53;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/andif.c,v
Working file: c_tests/plumhall/conform/exprtest/andif.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
```

```
                              ca Feb 28-Mar 6 1995.log
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:14;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/assign.c,v
working file: c_tests/plumhall/conform/exprtest/assign.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:16;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/avalue.h,v
working file: c_tests/plumhall/conform/exprtest/avalue.h
head: 1.1
branch: 1.1.1                  .
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:18;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/band.c,v
working file: c_tests/plumhall/conform/exprtest/band.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
```

date: 1995/02/28 23:07:19; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/bandeq.c,v
Working file: c_tests/plumhall/conform/exprtest/bandeq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:21; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/cast.c,v
Working file: c_tests/plumhall/conform/exprtest/cast.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:23; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/compl.c,v
Working file: c_tests/plumhall/conform/exprtest/compl.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:24; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/div.c,v
Working file: c_tests/plumhall/conform/exprtest/div.c

ca Feb 28-Mar 6 1995.log
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:26; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/diveq1.c,v
Working file: c_tests/plumhall/conform/exprtest/diveq1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:27; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/diveq2.c,v
Working file: c_tests/plumhall/conform/exprtest/diveq2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:30; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/diveq3.c,v
Working file: c_tests/plumhall/conform/exprtest/diveq3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2

```
                              ca Feb 28-Mar 6 1995.log
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:32;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/diveq4.c,v
Working file: c_tests/plumhall/conform/exprtest/diveq4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:33;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/eq.c,v
Working file: c_tests/plumhall/conform/exprtest/eq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:35;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/ge.c,v
Working file: c_tests/plumhall/conform/exprtest/ge.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
```

revision 1.1.1.2
date: 1995/02/28 23:07:36; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/gt.c,v
Working file: c_tests/plumhall/conform/exprtest/gt.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:38; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int1.c,v
Working file: c_tests/plumhall/conform/exprtest/int1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:39; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int10.c,v
Working file: c_tests/plumhall/conform/exprtest/int10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:07:41; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int11.c,v

```
                              ca Feb 28-Mar 6 1995.log
Working file: c_tests/plumhall/conform/exprtest/int11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:42;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int12.c,v
Working file: c_tests/plumhall/conform/exprtest/int12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:44;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int13.c,v
Working file: c_tests/plumhall/conform/exprtest/int13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:45;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int2.c,v
Working file: c_tests/plumhall/conform/exprtest/int2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:46;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int3.c,v
Working file: c_tests/plumhall/conform/exprtest/int3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:47;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int4.c,v
Working file: c_tests/plumhall/conform/exprtest/int4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:48;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int5.c,v
Working file: c_tests/plumhall/conform/exprtest/int5.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
```

```
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:50;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int6.c,v
Working file: c_tests/plumhall/conform/exprtest/int6.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:51;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int7.c,v
Working file: c_tests/plumhall/conform/exprtest/int7.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:52;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int8.c,v
Working file: c_tests/plumhall/conform/exprtest/int8.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:53;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================
```

```
                              ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/int9.c,v
Working file: c_tests/plumhall/conform/exprtest/int9.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:54;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/le.c,v
Working file: c_tests/plumhall/conform/exprtest/le.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:57;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/lsh.c,v
Working file: c_tests/plumhall/conform/exprtest/lsh.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:59;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/lsheq.c,v
Working file: c_tests/plumhall/conform/exprtest/lsheq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

```
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:01;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/lt.c,v
Working file: c_tests/plumhall/conform/exprtest/lt.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:02;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/m.h,v
Working file: c_tests/plumhall/conform/exprtest/m.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:07:56;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mineq1.c,v
Working file: c_tests/plumhall/conform/exprtest/mineq1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
```

```
                              ca Feb 28-Mar 6 1995.log
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:04;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mineq2.c,v
Working file: c_tests/plumhall/conform/exprtest/mineq2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:05;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mineq3.c,v
Working file: c_tests/plumhall/conform/exprtest/mineq3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:07;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mineq4.c,v
Working file: c_tests/plumhall/conform/exprtest/mineq4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:08;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================
```

ca Feb 28-Mar 6 1995.log

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/minus.c,v
Working file: c_tests/plumhall/conform/exprtest/minus.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbol names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:10; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix1.c,v
Working file: c_tests/plumhall/conform/exprtest/mix1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:11; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix10.c,v
Working file: c_tests/plumhall/conform/exprtest/mix10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:12; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix11.c,v
Working file: c_tests/plumhall/conform/exprtest/mix11.c
head: 1.1
branch: 1.1.1
locks: strict

access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:13; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix12.c,v
Working file: c_tests/plumhall/conform/exprtest/mix12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:14; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix13.c,v
Working file: c_tests/plumhall/conform/exprtest/mix13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:16; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix2.c,v
Working file: c_tests/plumhall/conform/exprtest/mix2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:17;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix3.c,v
Working file: c_tests/plumhall/conform/exprtest/mix3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:18;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix4.c,v
Working file: c_tests/plumhall/conform/exprtest/mix4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:20;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix5.c,v
Working file: c_tests/plumhall/conform/exprtest/mix5.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:21;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
```

==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix6.c,v
Working file: c_tests/plumhall/conform/exprtest/mix6.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:22; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix7.c,v
Working file: c_tests/plumhall/conform/exprtest/mix7.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:23; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix8.c,v
Working file: c_tests/plumhall/conform/exprtest/mix8.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:25; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/mix9.c,v
Working file: c_tests/plumhall/conform/exprtest/mix9.c
head: 1.1
branch: 1.1.1

```
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:26;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/n.h,v
Working file: c_tests/plumhall/conform/exprtest/n.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:27;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/ne.c,v
Working file: c_tests/plumhall/conform/exprtest/ne.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:28;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/not.c,v
Working file: c_tests/plumhall/conform/exprtest/not.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
```

keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:30; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/o.h,v
working file: c_tests/plumhall/conform/exprtest/o.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:32; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/or.c,v
working file: c_tests/plumhall/conform/exprtest/or.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:33; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/orelse.c,v
working file: c_tests/plumhall/conform/exprtest/orelse.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:35; author: claseman; state: Exp; lines: +3 -3

plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/oreq.c,v
Working file: c_tests/plumhall/conform/exprtest/oreq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:36; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/plueq1.c,v
Working file: c_tests/plumhall/conform/exprtest/plueq1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:38; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/plueq2.c,v
Working file: c_tests/plumhall/conform/exprtest/plueq2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:41; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/plueq3.c,v
Working file: c_tests/plumhall/conform/exprtest/plueq3.c
head: 1.1

ca Feb 28-Mar 6 1995.log

```
                          ca Feb 28-Mar 6 1995.log
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:42;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/plueq4.c,v
Working file: c_tests/plumhall/conform/exprtest/plueq4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:43;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/plus.c,v
Working file: c_tests/plumhall/conform/exprtest/plus.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:39;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/postdec.c,v
Working file: c_tests/plumhall/conform/exprtest/postdec.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
```

```
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:45;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/preinc.c,v
Working file: c_tests/plumhall/conform/exprtest/preinc.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:46;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/quest.c,v
Working file: c_tests/plumhall/conform/exprtest/quest.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:48;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real1.c,v
Working file: c_tests/plumhall/conform/exprtest/real1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
```

```
                            ca Feb 28-Mar 6 1995.log
date: 1995/02/28 23:08:49;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real10.c,v
Working file: c_tests/plumhall/conform/exprtest/real10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:50;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real11.c,v
Working file: c_tests/plumhall/conform/exprtest/real11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:52;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real12.c,v
Working file: c_tests/plumhall/conform/exprtest/real12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:53;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real13.c,v
Working file: c_tests/plumhall/conform/exprtest/real13.c
```

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:54; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real2.c,v
Working file: c_tests/plumhall/conform/exprtest/real2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:55; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real3.c,v
Working file: c_tests/plumhall/conform/exprtest/real3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:08:56; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real4.c,v
Working file: c_tests/plumhall/conform/exprtest/real4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2

```
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:57;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real5.c,v
Working file: c_tests/plumhall/conform/exprtest/real5.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:08:58;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real6.c,v
Working file: c_tests/plumhall/conform/exprtest/real6.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:00;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real7.c,v
Working file: c_tests/plumhall/conform/exprtest/real7.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
```

ca Feb 28-Mar 6 1995.log

revision 1.1.1.2
date: 1995/02/28 23:09:01; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real8.c,v
Working file: c_tests/plumhall/conform/exprtest/real8.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:02; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/real9.c,v
Working file: c_tests/plumhall/conform/exprtest/real9.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:03; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/remain.c,v
Working file: c_tests/plumhall/conform/exprtest/remain.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:05; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/remeq.c,v

```
                               ca Feb 28-Mar 6 1995.log
working file: c_tests/plumhall/conform/exprtest/remeq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:06;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/rsh.c,v
working file: c_tests/plumhall/conform/exprtest/rsh.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:08;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/rsheq.c,v
working file: c_tests/plumhall/conform/exprtest/rsheq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:09;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/timeq1.c,v
working file: c_tests/plumhall/conform/exprtest/timeq1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:10;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/timeq2.c,v
Working file: c_tests/plumhall/conform/exprtest/timeq2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:12;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/timeq3.c,v
Working file: c_tests/plumhall/conform/exprtest/timeq3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:13;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/timeq4.c,v
Working file: c_tests/plumhall/conform/exprtest/timeq4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
```

----
revision 1.1.1.2
date: 1995/02/28 23:09:14; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/timesop.c,v
Working file: c_tests/plumhall/conform/exprtest/timesop.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:16; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/types.h,v
Working file: c_tests/plumhall/conform/exprtest/types.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
  .   plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:17; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/uminus.c,v
Working file: c_tests/plumhall/conform/exprtest/uminus.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:09:18; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

```
                              ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/xor.c,v
Working file: c_tests/plumhall/conform/exprtest/xor.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:20;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/conform/exprtest/xoreq.c,v
Working file: c_tests/plumhall/conform/exprtest/xoreq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:09:21;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/doc/user.txt,v
Working file: c_tests/plumhall/doc/user.txt
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:12:34;  author: claseman;  state: Exp;  lines: +45 -45
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/certify.chk,v
Working file: c_tests/plumhall/dosdst/certify.chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

```
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:13:07;  author: claseman;  state: Exp;  lines: +189 -189
plumhall update version 6.0
=================================================================================
```
```
RCS file: /p/cvsroot/c_tests/plumhall/dosdst/clib.h,v
Working file: c_tests/plumhall/dosdst/clib.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:12:53;  author: claseman;  state: Exp;  lines: +2 -2
plumhall update version 6.0
=================================================================================
```
```
RCS file: /p/cvsroot/c_tests/plumhall/dosdst/compil.h,v
Working file: c_tests/plumhall/dosdst/compil.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:12:50;  author: claseman;  state: Exp;  lines: +2 -1
plumhall update version 6.0
=================================================================================
```
```
RCS file: /p/cvsroot/c_tests/plumhall/dosdst/compiler.bat,v
Working file: c_tests/plumhall/dosdst/compiler.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
```

ca Feb 28-Mar 6 1995.log
```
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:12:37;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/config.ex,v
Working file: c_tests/plumhall/dosdst/config.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:13:23;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/defs.h,v
Working file: c_tests/plumhall/dosdst/defs.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:12:42;  author: claseman;  state: Exp;  lines: +66 -51
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/doexpr95.bat,v
Working file: c_tests/plumhall/dosdst/doexpr95.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:13:34;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
```

revision 1.1.1.1
date: 1995/02/28 23:13:35; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/egen.exe,v
Working file: c_tests/plumhall/dosdst/egen.exe
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:13:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:13:26; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/envsuite.bat,v
Working file: c_tests/plumhall/dosdst/envsuite.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:01; author: claseman; state: Exp; lines: +10 -10
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/execute.bat,v
Working file: c_tests/plumhall/dosdst/execute.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:12:39; author: claseman; state: Exp; lines: +3 -3

plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/exin.exe,v
Working file: c_tests/plumhall/dosdst/exin.exe
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:13:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:13:30; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/flags.h,v
Working file: c_tests/plumhall/dosdst/flags.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:12:58; author: claseman; state: Exp; lines: +6 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/gotdiag.h,v
Working file: c_tests/plumhall/dosdst/gotdiag.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:03; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/hocompil.bat,v
Working file: c_tests/plumhall/dosdst/hocompil.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:12:43; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/hodefs.h,v
Working file: c_tests/plumhall/dosdst/hodefs.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:11; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/holinker.bat,v
Working file: c_tests/plumhall/dosdst/holinker.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:12:56; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/homachin.h,v
Working file: c_tests/plumhall/dosdst/homachin.h
head: 1.1
branch: 1.1.1
locks: strict

access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:12; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/linker.bat,v
working file: c_tests/plumhall/dosdst/linker.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:12:47; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/machin.h,v
working file: c_tests/plumhall/dosdst/machin.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:14; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/makefile,v
working file: c_tests/plumhall/dosdst/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:12:48;  author: claseman;  state: Exp;  lines: +4 -4
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/makefull.bat,v
Working file: c_tests/plumhall/dosdst/makefull.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:13:34;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:13:35;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/patch.exe,v
Working file: c_tests/plumhall/dosdst/patch.exe
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:13:34;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:13:35;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/phfile.h,v
Working file: c_tests/plumhall/dosdst/phfile.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
```

```
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:13:17;  author: claseman;  state: Exp;  lines: +3 -7
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/run.h,v
Working file: c_tests/plumhall/dosdst/run.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:13:04;  author: claseman;  state: Exp;  lines: +2 -2
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/sdutil.h,v
Working file: c_tests/plumhall/dosdst/sdutil.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:13:09;  author: claseman;  state: Exp;  lines: +4 -4
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/simwchar.h,v
Working file: c_tests/plumhall/dosdst/simwchar.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
```

date: 1995/02/28 23:13:21; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/conform/makefile,v
Working file: c_tests/plumhall/dosdst/conform/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:35; author: claseman; state: Exp; lines: +7 -29
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/conform/capacity/makefile,v
Working file: c_tests/plumhall/dosdst/conform/capacity/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:39; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/conform/errauto/makefile,v
Working file: c_tests/plumhall/dosdst/conform/errauto/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:44; author: claseman; state: Exp; lines: +10 -16
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/conform/exprtest/makefile,v
Working file: c_tests/plumhall/dosdst/conform/exprtest/makefile

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:42; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/pending/amend_1/dirname,v
working file: c_tests/plumhall/dosdst/pending/amend_1/dirname
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:14:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:14:07; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/pending/amend_1/makefile,v
working file: c_tests/plumhall/dosdst/pending/amend_1/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:14:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:14:06; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

```
                         ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/c_tests/plumhall/dosdst/pending/exprtest.95/dirname,v
Working file: c_tests/plumhall/dosdst/pending/exprtest.95/dirname
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:14:05;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:14:06;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/pending/exprtest.95/makefile,v
Working file: c_tests/plumhall/dosdst/pending/exprtest.95/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:14:05;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:14:06;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/pending/interps/dirname,v
Working file: c_tests/plumhall/dosdst/pending/interps/dirname
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:14:05;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
```

----
revision 1.1.1.1
date: 1995/02/28 23:14:06; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/pending/interps/makefile,v
Working file: c_tests/plumhall/dosdst/pending/interps/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:14:04; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:14:05; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/cover/makefile,v
Working file: c_tests/plumhall/dosdst/testing/cover/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:58; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/egen/base_1.exp,v
Working file: c_tests/plumhall/dosdst/testing/egen/base_1.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:13:57; author: claseman; state: Exp;

```
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:13:58;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/egen/base_2.exp,v
Working file: c_tests/plumhall/dosdst/testing/egen/base_2.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:13:56;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:13:57;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/egen/base_3.exp,v
Working file: c_tests/plumhall/dosdst/testing/egen/base_3.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:13:56;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:13:57;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/egen/base_4.exp,v
Working file: c_tests/plumhall/dosdst/testing/egen/base_4.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
```

keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:13:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:13:58; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/egen/makefile,v
Working file: c_tests/plumhall/dosdst/testing/egen/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:54; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/egen/regress.bat,v
Working file: c_tests/plumhall/dosdst/testing/egen/regress.bat
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:13:56; author: claseman; state: Exp; lines: +4 -4
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/exin/makefile,v
Working file: c_tests/plumhall/dosdst/testing/exin/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

```
                                  ca Feb 28-Mar 6 1995.log
total revisions: 3;       selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:13:52;  author: claseman;  state: Exp;  lines: +7 -4
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/limits/makefile,v
Working file: c_tests/plumhall/dosdst/testing/limits/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;       selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:00;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/dosdst/testing/stress/makefile,v
Working file: c_tests/plumhall/dosdst/testing/stress/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;       selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:02;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/freeware/sampler/sidebar,v
Working file: c_tests/plumhall/freeware/sampler/sidebar
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;       selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:12;  author: claseman;  state: Exp;  lines: +5 -17
plumhall update version 6.0
```

===

RCS file: /p/cvsroot/c_tests/plumhall/optional/optauto/q61.in,v
Working file: c_tests/plumhall/optional/optauto/q61.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:02; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/optauto/q62.in,v
Working file: c_tests/plumhall/optional/optauto/q62.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:51; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/optauto/q63.in,v
Working file: c_tests/plumhall/optional/optauto/q63.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:53; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/optauto/q64.in,v
Working file: c_tests/plumhall/optional/optauto/q64.in
head: 1.1
branch: 1.1.1

```
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:54;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/optauto/q65.in,v
Working file: c_tests/plumhall/optional/optauto/q65.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:56;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/optauto/q66.in,v
Working file: c_tests/plumhall/optional/optauto/q66.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:58;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/optauto/q67.in,v
Working file: c_tests/plumhall/optional/optauto/q67.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
```

keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:59; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/optauto/q68.in,v
working file: c_tests/plumhall/optional/optauto/q68.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:00; author: claseman; state: Exp; lines: +9 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61001.c,v
working file: c_tests/plumhall/optional/opterrs/q61001.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:47; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61002.c,v
working file: c_tests/plumhall/optional/opterrs/q61002.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:33; author: claseman: state: Exp; lines: +3 -3

plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61003.c,v
working file: c_tests/plumhall/optional/opterrs/q61003.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:34; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61004.c,v
working file: c_tests/plumhall/optional/opterrs/q61004.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:35; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61005.c,v
working file: c_tests/plumhall/optional/opterrs/q61005.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:36; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61006.c,v
working file: c_tests/plumhall/optional/opterrs/q61006.c
head: 1.1

ca Feb 28-Mar 6 1995.log
```
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:37;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61007.c,v
Working file: c_tests/plumhall/optional/opterrs/q61007.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.2
date: 1995/02/28 23:14:38;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61008.c,v
Working file: c_tests/plumhall/optional/opterrs/q61008.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:39;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61009.c,v
Working file: c_tests/plumhall/optional/opterrs/q61009.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
```

```
                              ca Feb 28-Mar 6 1995.log
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:41;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61010.c,v
Working file: c_tests/plumhall/optional/opterrs/q61010.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
         plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:42;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61011.c,v
Working file: c_tests/plumhall/optional/opterrs/q61011.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
         plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:43;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61012.c,v
Working file: c_tests/plumhall/optional/opterrs/q61012.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
         plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
```

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/02/28 23:14:44;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61013.c,v
working file: c_tests/plumhall/optional/opterrs/q61013.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:45;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61014.c,v
working file: c_tests/plumhall/optional/opterrs/q61014.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:46;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61015.c,v
working file: c_tests/plumhall/optional/opterrs/q61015.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:47;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61016.c,v
working file: c_tests/plumhall/optional/opterrs/q61016.c
```

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:48; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61017.c,v
working file: c_tests/plumhall/optional/opterrs/q61017.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:50; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61018.c,v
working file: c_tests/plumhall/optional/opterrs/q61018.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:51; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61019.c,v
working file: c_tests/plumhall/optional/opterrs/q61019.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2

```
                              ca Feb 28-Mar 6 1995.log
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:52;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61020.c,v
Working file: c_tests/plumhall/optional/opterrs/q61020.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:53;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61021.c,v
Working file: c_tests/plumhall/optional/opterrs/q61021.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:54;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61022.c,v
Working file: c_tests/plumhall/optional/opterrs/q61022.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
```

revision 1.1.1.2
date: 1995/02/28 23:14:55;   author: claseman;   state: Exp;   lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61023.c,v
Working file: c_tests/plumhall/optional/opterrs/q61023.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:58;   author: claseman;   state: Exp;   lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q61chk,v
Working file: c_tests/plumhall/optional/opterrs/q61chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:59;   author: claseman;   state: Exp;   lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q62001.c,v
Working file: c_tests/plumhall/optional/opterrs/q62001.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:49;   author: claseman;   state: Exp;   lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q62002.c,v

```
                              ca Feb 28-Mar 6 1995.log
Working file: c_tests/plumhall/optional/opterrs/q62002.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:00;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q62003.c,v
Working file: c_tests/plumhall/optional/opterrs/q62003.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:01;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q62004.c,v
Working file: c_tests/plumhall/optional/opterrs/q62004.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:02;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q62005.c,v
Working file: c_tests/plumhall/optional/opterrs/q62005.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

```
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:03;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q62006.c,v
Working file: c_tests/plumhall/optional/opterrs/q62006.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:04;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q62007.c,v
Working file: c_tests/plumhall/optional/opterrs/q62007.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:05;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q62008.c,v
Working file: c_tests/plumhall/optional/opterrs/q62008.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
```

```
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:07;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q62chk,v
working file: c_tests/plumhall/optional/opterrs/q62chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:14:31;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63001.c,v
working file: c_tests/plumhall/optional/opterrs/q63001.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:08;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63002.c,v
working file: c_tests/plumhall/optional/opterrs/q63002.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:10;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================
```

```
                              ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63003.c,v
Working file: c_tests/plumhall/optional/opterrs/q63003.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:11;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63004.c,v
Working file: c_tests/plumhall/optional/opterrs/q63004.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:12;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63005.c,v
Working file: c_tests/plumhall/optional/opterrs/q63005.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:13;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63006.c,v
Working file: c_tests/plumhall/optional/opterrs/q63006.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
```

```
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:14;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63007.c,v
working file: c_tests/plumhall/optional/opterrs/q63007.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:16;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63008.c,v
working file: c_tests/plumhall/optional/opterrs/q63008.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:17;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63009.c,v
working file: c_tests/plumhall/optional/opterrs/q63009.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
```

description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:18; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63010.c,v
Working file: c_tests/plumhall/optional/opterrs/q63010.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:19; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63011.c,v
Working file: c_tests/plumhall/optional/opterrs/q63011.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:20; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63012.c,v
Working file: c_tests/plumhall/optional/opterrs/q63012.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:21; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

```
RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63013.c,v
working file: c_tests/plumhall/optional/opterrs/q63013.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:23;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63014.c,v
working file: c_tests/plumhall/optional/opterrs/q63014.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:24;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63015.c,v
working file: c_tests/plumhall/optional/opterrs/q63015.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:25;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63016.c,v
working file: c_tests/plumhall/optional/opterrs/q63016.c
head: 1.1
branch: 1.1.1
locks: strict
```

access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:27; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63017.c,v
Working file: c_tests/plumhall/optional/opterrs/q63017.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:28; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63018.c,v
Working file: c_tests/plumhall/optional/opterrs/q63018.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:29; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63019.c,v
Working file: c_tests/plumhall/optional/opterrs/q63019.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:30;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63020.c,v
Working file: c_tests/plumhall/optional/opterrs/q63020.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:31;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63021.c,v
Working file: c_tests/plumhall/optional/opterrs/q63021.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:33;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63022.c,v
Working file: c_tests/plumhall/optional/opterrs/q63022.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:34;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
```

==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63023.c,v
Working file: c_tests/plumhall/optional/opterrs/q63023.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:35; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63024.c,v
Working file: c_tests/plumhall/optional/opterrs/q63024.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:36; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63025.c,v
Working file: c_tests/plumhall/optional/opterrs/q63025.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:37; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63026.c,v
Working file: c_tests/plumhall/optional/opterrs/q63026.c
head: 1.1
branch: 1.1.1

ca Feb 28-Mar 6 1995.log
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:38; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63027.c,v
Working file: c_tests/plumhall/optional/opterrs/q63027.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:39; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q63chk,v
Working file: c_tests/plumhall/optional/opterrs/q63chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:14:56; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q64001.c,v
Working file: c_tests/plumhall/optional/opterrs/q64001.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1

keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:09; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q64002.c,v
Working file: c_tests/plumhall/optional/opterrs/q64002.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:40; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q64003.c,v
Working file: c_tests/plumhall/optional/opterrs/q64003.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:41; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q64004.c,v
Working file: c_tests/plumhall/optional/opterrs/q64004.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:43; author: claseman; state: Exp; lines: +3 -3

plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q64005.c,v
Working file: c_tests/plumhall/optional/opterrs/q64005.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:44; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q64006.c,v
Working file: c_tests/plumhall/optional/opterrs/q64006.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:45; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q64007.c,v
Working file: c_tests/plumhall/optional/opterrs/q64007.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:46; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q64008.c,v
Working file: c_tests/plumhall/optional/opterrs/q64008.c
head: 1.1

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:47;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q64chk,v
Working file: c_tests/plumhall/optional/opterrs/q64chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:48;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65001.c,v
Working file: c_tests/plumhall/optional/opterrs/q65001.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:49;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65002.c,v
Working file: c_tests/plumhall/optional/opterrs/q65002.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
```

```
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:52;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65003.c,v
working file: c_tests/plumhall/optional/opterrs/q65003.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:53;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65004.c,v
working file: c_tests/plumhall/optional/opterrs/q65004.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:15:54;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65005.c,v
working file: c_tests/plumhall/optional/opterrs/q65005.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
```

date: 1995/02/28 23:15:56;   author: claseman;   state: Exp;   lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65006.c,v
working file: c_tests/plumhall/optional/opterrs/q65006.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:58;   author: claseman;   state: Exp;   lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65007.c,v
working file: c_tests/plumhall/optional/opterrs/q65007.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:59;   author: claseman;   state: Exp;   lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65008.c,v
working file: c_tests/plumhall/optional/opterrs/q65008.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:00;   author: claseman;   state: Exp;   lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65009.c,v
working file: c_tests/plumhall/optional/opterrs/q65009.c

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:01; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65010.c,v
Working file: c_tests/plumhall/optional/opterrs/q65010.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:02; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65011.c,v
Working file: c_tests/plumhall/optional/opterrs/q65011.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:03; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65012.c,v
Working file: c_tests/plumhall/optional/opterrs/q65012.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2

```
                              ca Feb 28-Mar 6 1995.log
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:04;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65013.c,v
Working file: c_tests/plumhall/optional/opterrs/q65013.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:06;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65014.c,v
Working file: c_tests/plumhall/optional/opterrs/q65014.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:07;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65015.c,v
Working file: c_tests/plumhall/optional/opterrs/q65015.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
```

revision 1.1.1.2
date: 1995/02/28 23:16:08; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65016.c,v
Working file: c_tests/plumhall/optional/opterrs/q65016.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:09; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q65chk,v
Working file: c_tests/plumhall/optional/opterrs/q65chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:26; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q66001.c,v
Working file: c_tests/plumhall/optional/opterrs/q66001.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:51; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q66chk,v

```
                         ca Feb 28-Mar 6 1995.log
working file: c_tests/plumhall/optional/opterrs/q66chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:10;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q67001.c,v
working file: c_tests/plumhall/optional/opterrs/q67001.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:11;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q67002.c,v
working file: c_tests/plumhall/optional/opterrs/q67002.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:14;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q67003.c,v
working file: c_tests/plumhall/optional/opterrs/q67003.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:15; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q67chk,v
Working file: c_tests/plumhall/optional/opterrs/q67chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:15:55; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68001.c,v
Working file: c_tests/plumhall/optional/opterrs/q68001.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:12; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68002.c,v
Working file: c_tests/plumhall/optional/opterrs/q68002.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:

```
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:16;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68003.c,v
Working file: c_tests/plumhall/optional/opterrs/q68003.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:17;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68004.c,v
Working file: c_tests/plumhall/optional/opterrs/q68004.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:18;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68005.c,v
Working file: c_tests/plumhall/optional/opterrs/q68005.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:20;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================
```

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68006.c,v
Working file: c_tests/plumhall/optional/opterrs/q68006.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:21; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68007.c,v
Working file: c_tests/plumhall/optional/opterrs/q68007.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:22; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68008.c,v
Working file: c_tests/plumhall/optional/opterrs/q68008.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:24; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68009.c,v
Working file: c_tests/plumhall/optional/opterrs/q68009.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:25; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68010.c,v
Working file: c_tests/plumhall/optional/opterrs/q68010.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:27; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68011.c,v
Working file: c_tests/plumhall/optional/opterrs/q68011.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:29; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68012.c,v
Working file: c_tests/plumhall/optional/opterrs/q68012.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1

ca Feb 28-Mar 6 1995.log

description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:30; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68013.c,v
Working file: c_tests/plumhall/optional/opterrs/q68013.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:31; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68014.c,v
Working file: c_tests/plumhall/optional/opterrs/q68014.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:32; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68015.c,v
Working file: c_tests/plumhall/optional/opterrs/q68015.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:34; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68016.c,v
Working file: c_tests/plumhall/optional/opterrs/q68016.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:35; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68017.c,v
Working file: c_tests/plumhall/optional/opterrs/q68017.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:36; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68018.c,v
Working file: c_tests/plumhall/optional/opterrs/q68018.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:37; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68019.c,v
Working file: c_tests/plumhall/optional/opterrs/q68019.c
head: 1.1
branch: 1.1.1
locks: strict

access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:39; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68020.c,v
Working file: c_tests/plumhall/optional/opterrs/q68020.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:40; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68021.c,v
Working file: c_tests/plumhall/optional/opterrs/q68021.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:41; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68022.c,v
Working file: c_tests/plumhall/optional/opterrs/q68022.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:42;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68023.c,v
Working file: c_tests/plumhall/optional/opterrs/q68023.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:43;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68024.c,v
Working file: c_tests/plumhall/optional/opterrs/q68024.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:45;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68025.c,v
Working file: c_tests/plumhall/optional/opterrs/q68025.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:16:46;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
```

==

RCS file: /p/cvsroot/c_tests/plumhall/optional/opterrs/q68chk,v
working file: c_tests/plumhall/optional/opterrs/q68chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:16:26; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/462a.c,v
working file: c_tests/plumhall/pending/amend_1/462a.c
head: 1.1
branch: 1.1.1   .
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:39; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w451.c,v
working file: c_tests/plumhall/pending/amend_1/w451.c
head: 1.1
branch: 1.1.1
locks: strict   .
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1

date: 1995/02/28 23:20:39; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w452.c,v
Working file: c_tests/plumhall/pending/amend_1/w452.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:39; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w452h.h,v
Working file: c_tests/plumhall/pending/amend_1/w452h.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:39; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w453.c,v
Working file: c_tests/plumhall/pending/amend_1/w453.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----

revision 1.1
date: 1995/02/28 23:20:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:39; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w453h.h,v
Working file: c_tests/plumhall/pending/amend_1/w453h.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:39; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w461.c,v
Working file: c_tests/plumhall/pending/amend_1/w461.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:38; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w462.c,v
Working file: c_tests/plumhall/pending/amend_1/w462.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:

        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:39; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w462a.c,v
Working file: c_tests/plumhall/pending/amend_1/w462a.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:40; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w463.c,v
Working file: c_tests/plumhall/pending/amend_1/w463.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:41; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w464.c,v

```
                              ca Feb 28-Mar 6 1995.log
Working file: c_tests/plumhall/pending/amend_1/w464.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:40;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:41;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/w465.c,v
Working file: c_tests/plumhall/pending/amend_1/w465.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:41;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:42;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/amend_1/wlib.c,v
Working file: c_tests/plumhall/pending/amend_1/wlib.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:40;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
```

revision 1.1.1.1
date: 1995/02/28 23:20:41; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int1.c,v
working file: c_tests/plumhall/pending/exprtest.95/95int1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:23; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int10.c,v
working file: c_tests/plumhall/pending/exprtest.95/95int10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:17; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int11.c,v
working file: c_tests/plumhall/pending/exprtest.95/95int11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:

----
revision 1.1
date: 1995/02/28 23:20:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:22; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int12.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95int12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:22; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int13.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95int13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:22; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int2.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95int2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

```
                              ca Feb 28-Mar 6 1995.log
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:22;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:23;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int3.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95int3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:17;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:18;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int4.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95int4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:17;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:18;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================
```

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int5.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95int5.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:19; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int6.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95int6.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:19; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int7.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95int7.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:20;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int8.c,v
working file: c_tests/plumhall/pending/exprtest.95/95int8.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:19;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:20;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95int9.c,v
working file: c_tests/plumhall/pending/exprtest.95/95int9.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:20;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:21;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix1.c,v
working file: c_tests/plumhall/pending/exprtest.95/95mix1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
```

description:
----
revision 1.1
date: 1995/02/28 23:20:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:21; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix10.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:18; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix11.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:22; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix12.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix12.c
head: 1.1
branch: 1.1.1
locks: strict

```
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:21;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:22;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix13.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:22;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:23;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix2.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:22;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:23;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================
```

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix3.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:18; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix4.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:19; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix5.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix5.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:18; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:19; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix6.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix6.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:20; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix7.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix7.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:20; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix8.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix8.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:19;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:20;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95mix9.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95mix9.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:20;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:21;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real1.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:20;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:21;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real10.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real10.c
head: 1.1
branch: 1.1.1
```

```
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
-------------------------
revision 1.1
date: 1995/02/28 23:20:17;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
-------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:18;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===========================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real11.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
-------------------------
revision 1.1
date: 1995/02/28 23:20:21;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
-------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:22;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===========================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real12.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
-------------------------
revision 1.1
date: 1995/02/28 23:20:21;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
-------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:22;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
```

==
RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real13.c,v
working file: c_tests/plumhall/pending/exprtest.95/95real13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:23; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==
RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real2.c,v
working file: c_tests/plumhall/pending/exprtest.95/95real2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:23; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==
RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real3.c,v
working file: c_tests/plumhall/pending/exprtest.95/95real3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:17; author: claseman; state: Exp;

```
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:18;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real4.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real4.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:18;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:19;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real5.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real5.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:18;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:19;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real6.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real6.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
```

keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:20; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real7.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real7.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:20; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real8.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real8.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:21; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/95real9.c,v
Working file: c_tests/plumhall/pending/exprtest.95/95real9.c
head: 1.1

branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:20; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:21; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/andif.c,v
Working file: c_tests/plumhall/pending/exprtest.95/andif.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:24; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/assign.c,v
Working file: c_tests/plumhall/pending/exprtest.95/assign.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:24; author: claseman; state: Exp; lines: +0 -0

ca Feb 28-Mar 6 1995.log
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/avalue.h,v
Working file: c_tests/plumhall/pending/exprtest.95/avalue.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:23; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:24; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/band.c,v
Working file: c_tests/plumhall/pending/exprtest.95/band.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:25; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/bandeq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/bandeq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1

```
                              ca Feb 28-Mar 6 1995.log
date: 1995/02/28 23:20:24;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:25;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/cast.c,v
working file: c_tests/plumhall/pending/exprtest.95/cast.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:24;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:25;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/compl.c,v
working file: c_tests/plumhall/pending/exprtest.95/compl.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:25;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:26;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/div.c,v
working file: c_tests/plumhall/pending/exprtest.95/div.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
```

```
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:25;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:26;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/diveq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/diveq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:25;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:26;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/eq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/eq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:26;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:27;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/ge.c,v
Working file: c_tests/plumhall/pending/exprtest.95/ge.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:26;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:27;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
==================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/gen95.ex,v
Working file: c_tests/plumhall/pending/exprtest.95/gen95.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:22;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:23;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
==================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/gt.c,v
Working file: c_tests/plumhall/pending/exprtest.95/gt.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:27;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
```

```
                                ca Feb 28-Mar 6 1995.log
date: 1995/02/28 23:20:28;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/le.c,v
Working file: c_tests/plumhall/pending/exprtest.95/le.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:27;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:28;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/lsh.c,v
Working file: c_tests/plumhall/pending/exprtest.95/lsh.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:27;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:28;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/lsheq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/lsheq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
```

```
                                    ca Feb 28-Mar 6 1995.log
revision 1.1
date: 1995/02/28 23:20:28;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
---------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:29;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/lt.c,v
Working file: c_tests/plumhall/pending/exprtest.95/lt.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
---------------------------
revision 1.1
date: 1995/02/28 23:20:28;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
---------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:29;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/m.h,v
Working file: c_tests/plumhall/pending/exprtest.95/m.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
---------------------------
revision 1.1
date: 1995/02/28 23:20:23;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
---------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:24;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/minus.c,v
Working file: c_tests/plumhall/pending/exprtest.95/minus.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

ca Feb 28-Mar 6 1995.log
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:30; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/minuseq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/minuseq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:29; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/n.h,v
Working file: c_tests/plumhall/pending/exprtest.95/n.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:26; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/ne.c,v

```
                              ca Feb 28-Mar 6 1995.log
Working file: c_tests/plumhall/pending/exprtest.95/ne.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:29;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:30;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/not.c,v
Working file: c_tests/plumhall/pending/exprtest.95/not.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:30;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:31;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/o.h,v
Working file: c_tests/plumhall/pending/exprtest.95/o.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:26;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
```

ca Feb 28-Mar 6 1995.log
```
revision 1.1.1.1
date: 1995/02/28 23:20:27;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/or.c,v
Working file: c_tests/plumhall/pending/exprtest.95/or.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:20:31;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:32;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/orelse.c,v
Working file: c_tests/plumhall/pending/exprtest.95/orelse.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:20:31;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:32;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/oreq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/oreq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
```

----
revision 1.1
date: 1995/02/28 23:20:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:33; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/plus.c,v
Working file: c_tests/plumhall/pending/exprtest.95/plus.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:33; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/pluseq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/pluseq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:33; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/postdec.c,v
Working file: c_tests/plumhall/pending/exprtest.95/postdec.c
head: 1.1
branch: 1.1.1
locks: strict
access list:

```
                              ca Feb 28-Mar 6 1995.log
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:20:33;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:34;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/preinc.c,v
working file: c_tests/plumhall/pending/exprtest.95/preinc.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:20:33;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:34;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/quest.c,v
working file: c_tests/plumhall/pending/exprtest.95/quest.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:20:34;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:35;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================
```

```
                          ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/remain.c,v
Working file: c_tests/plumhall/pending/exprtest.95/remain.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:34;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:35;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/remeq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/remeq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:34;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:35;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/rsh.c,v
Working file: c_tests/plumhall/pending/exprtest.95/rsh.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:35;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
```

```
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:36;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/rsheq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/rsheq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:35;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:36;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/timeseq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/timeseq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:35;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:36;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/timesop.c,v
Working file: c_tests/plumhall/pending/exprtest.95/timesop.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
```

description:
----
revision 1.1
date: 1995/02/28 23:20:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:37; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/types.h,v
Working file: c_tests/plumhall/pending/exprtest.95/types.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:26; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:27; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/uminus.c,v
Working file: c_tests/plumhall/pending/exprtest.95/uminus.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1   .
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:36; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:37; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/xor.c,v
Working file: c_tests/plumhall/pending/exprtest.95/xor.c
head: 1.1
branch: 1.1.1
locks: strict

-

```
                              ca Feb 28-Mar 6 1995.log
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:36;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:37;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/exprtest.95/xoreq.c,v
Working file: c_tests/plumhall/pending/exprtest.95/xoreq.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:37;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:38;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/interps/dr_132b.c,v
Working file: c_tests/plumhall/pending/interps/dr_132b.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:41;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:42;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================
```

RCS file: /p/cvsroot/c_tests/plumhall/pending/interps/dr_65.c,v
Working file: c_tests/plumhall/pending/interps/dr_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:42; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/interps/dr_88b.c,v
Working file: c_tests/plumhall/pending/interps/dr_88b.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:42; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/interps/i91.in,v
Working file: c_tests/plumhall/pending/interps/i91.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:41; author: claseman; state: Exp;
branches: 1.1.1;

Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:42; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/interps/i94.in,v
Working file: c_tests/plumhall/pending/interps/i94.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:43; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/interps/interp91.c,v
Working file: c_tests/plumhall/pending/interps/interp91.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:43; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/pending/interps/interp94.c,v
Working file: c_tests/plumhall/pending/interps/interp94.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:42;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:43;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/interps/interp94.in,v
Working file: c_tests/plumhall/pending/interps/interp94.in
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:43;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:44;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/pending/interps/s29.c,v
Working file: c_tests/plumhall/pending/interps/s29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:20:43;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:44;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover.exp,v
Working file: c_tests/plumhall/testing/cover.exp
head: 1.1
branch: 1.1.1
```

```
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:03;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/part2.chk,v
Working file: c_tests/plumhall/testing/part2.chk
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:04;  author: claseman;  state: Exp;  lines: +85 -102
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/part2.du,v
Working file: c_tests/plumhall/testing/part2.du
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:07;  author: claseman;  state: Exp;  lines: +0 -17
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/testing.exp,v
Working file: c_tests/plumhall/testing/testing.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
```

```
                           ca Feb 28-Mar 6 1995.log
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:06;  author: claseman;  state: Exp;  lines: +1 -1
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/all.ex,v
Working file: c_tests/plumhall/testing/cover/all.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:09;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/alldata.ex,v
Working file: c_tests/plumhall/testing/cover/alldata.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:                 .
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:10;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/allops.ex,v
Working file: c_tests/plumhall/testing/cover/allops.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:11;  author: claseman;  state: Exp;  lines: +3 -3
```

ca Feb 28-Mar 6 1995.log
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/cover.ex,v
Working file: c_tests/plumhall/testing/cover/cover.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:12; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/data.ex,v
Working file: c_tests/plumhall/testing/cover/data.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:14; author: claseman; state: Exp; lines: +5 -5
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/dnumbers.ex,v
Working file: c_tests/plumhall/testing/cover/dnumbers.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:15; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/fundef.ex,v
Working file: c_tests/plumhall/testing/cover/fundef.ex
head: 1.1

branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:16; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/m.h,v
Working file: c_tests/plumhall/testing/cover/m.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:17; author: claseman; state: Exp; lines: +15 -15
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/n.h,v
Working file: c_tests/plumhall/testing/cover/n.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:19; author: claseman; state: Exp; lines: +15 -15
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/o.h,v
Working file: c_tests/plumhall/testing/cover/o.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1

          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:20; author: claseman; state: Exp; lines: +16 -15
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/ops.ex,v
Working file: c_tests/plumhall/testing/cover/ops.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:22; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/sample.ex,v
Working file: c_tests/plumhall/testing/cover/sample.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:23; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/shname.ex,v
Working file: c_tests/plumhall/testing/cover/shname.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2

date: 1995/02/28 23:17:24; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/cover/types.h,v
Working file: c_tests/plumhall/testing/cover/types.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:25; author: claseman; state: Exp; lines: +4 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/altdir.h,v
Working file: c_tests/plumhall/testing/egen/altdir.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:38; author: claseman; state: Exp; lines: +8 -8
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/build.c,v
Working file: c_tests/plumhall/testing/egen/build.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:46; author: claseman; state: Exp; lines: +12 -25
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/data.c,v
Working file: c_tests/plumhall/testing/egen/data.c

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:27;  author: claseman;  state: Exp;  lines: +30 -42
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/debug.c,v
Working file: c_tests/plumhall/testing/egen/debug.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:28;  author: claseman;  state: Exp;  lines: +9 -17
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/egen.c,v
Working file: c_tests/plumhall/testing/egen/egen.c
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:30;  author: claseman;  state: Exp;  lines: +22 -51
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/egen.h,v
Working file: c_tests/plumhall/testing/egen/egen.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
```

        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:31; author: claseman; state: Exp; lines: +107 -84
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/getdata.c,v
Working file: c_tests/plumhall/testing/egen/getdata.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:32; author: claseman; state: Exp; lines: +15 -26
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/interp.h,v
Working file: c_tests/plumhall/testing/egen/interp.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:17:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:17:43; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/main.c,v
Working file: c_tests/plumhall/testing/egen/main.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1

keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:43; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/ops.c,v
Working file: c_tests/plumhall/testing/egen/ops.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:35; author: claseman; state: Exp; lines: +12 -23
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/ops.h,v
Working file: c_tests/plumhall/testing/egen/ops.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:37; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/parse.h,v
Working file: c_tests/plumhall/testing/egen/parse.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:17:42; author: claseman; state: Exp;
branches: 1.1.1;

```
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:17:43;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/type.c,v
Working file: c_tests/plumhall/testing/egen/type.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:40;  author: claseman;  state: Exp;  lines: +8 -13
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/update.c,v
Working file: c_tests/plumhall/testing/egen/update.c
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:44;  author: claseman;  state: Exp;  lines: +32 -85
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/egen/vars.h,v
Working file: c_tests/plumhall/testing/egen/vars.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:41;  author: claseman;  state: Exp;  lines: +4 -4
plumhall update version 6.0
==============================================================================
```

ca Feb 28-Mar 6 1995.log

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/altdir.h,v
Working file: c_tests/plumhall/testing/exin/altdir.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:32; author: claseman; state: Exp; lines: +8 -8
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/comptest.ex,v
Working file: c_tests/plumhall/testing/exin/comptest.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:50; author: claseman; state: Exp; lines: +8 -7
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/control.c,v
Working file: c_tests/plumhall/testing/exin/control.c
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:52; author: claseman; state: Exp; lines: +48 -48
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/dosubs.c,v
Working file: c_tests/plumhall/testing/exin/dosubs.c
head: 1.1
branch: 1.1.1
locks: strict

access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:54; author: claseman; state: Exp; lines: +31 -30
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/environ.c,v
Working file: c_tests/plumhall/testing/exin/environ.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:55; author: claseman; state: Exp; lines: +17 -17
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/evaluate.c,v
Working file: c_tests/plumhall/testing/exin/evaluate.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:17:56; author: claseman; state: Exp; lines: +22 -27
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/execute.c,v
Working file: c_tests/plumhall/testing/exin/execute.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv

ca Feb 28-Mar 6 1995.log
```
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:58;  author: claseman;  state: Exp;  lines: +20 -20
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/exin.c,v
Working file: c_tests/plumhall/testing/exin/exin.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:17:59;  author: claseman;  state: Exp;  lines: +5 -5
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/exin.h,v
Working file: c_tests/plumhall/testing/exin/exin.h
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 5;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:01;  author: claseman;  state: Exp;  lines: +135 -170
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/exp2.c,v
Working file: c_tests/plumhall/testing/exin/exp2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:03;  author: claseman;  state: Exp;  lines: +7 -14
plumhall update version 6.0
```

==

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/expand.c,v
Working file: c_tests/plumhall/testing/exin/expand.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:04; author: claseman; state: Exp; lines: +5 -9
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/for.c,v
Working file: c_tests/plumhall/testing/exin/for.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:06; author: claseman; state: Exp; lines: +35 -35
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/if.c,v
Working file: c_tests/plumhall/testing/exin/if.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:07; author: claseman; state: Exp; lines: +5 -6
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/interp.c,v
Working file: c_tests/plumhall/testing/exin/interp.c
head: 1.1
branch: 1.1.1

```
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:08;  author: claseman;  state: Exp;  lines: +13 -13
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/interp.h,v
Working file: c_tests/plumhall/testing/exin/interp.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:10;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/io.c,v
Working file: c_tests/plumhall/testing/exin/io.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:11;  author: claseman;  state: Exp;  lines: +8 -11
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/io.h,v
Working file: c_tests/plumhall/testing/exin/io.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
```

ca Feb 28-Mar 6 1995.log
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:12; author: claseman; state: Exp; lines: +4 -4
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/machdep.c,v
working file: c_tests/plumhall/testing/exin/machdep.c
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 5;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:14; author: claseman; state: Exp; lines: +48 -35
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/main.c,v
working file: c_tests/plumhall/testing/exin/main.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:15; author: claseman; state: Exp; lines: +36 -35
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/memallo.c,v
working file: c_tests/plumhall/testing/exin/memallo.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:16; author: claseman; state: Exp; lines: +22 -22

plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/parse.h,v
Working file: c_tests/plumhall/testing/exin/parse.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:18; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/print.c,v
Working file: c_tests/plumhall/testing/exin/print.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:19; author: claseman; state: Exp; lines: +10 -16
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/recovx.c,v
Working file: c_tests/plumhall/testing/exin/recovx.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:20; author: claseman; state: Exp; lines: +12 -11
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/symbols.c,v
Working file: c_tests/plumhall/testing/exin/symbols.c
head: 1.1

.

```
                          ca Feb 28-Mar 6 1995.log
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:21;  author: claseman;  state: Exp;  lines: +24 -32
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/test1.ex,v
Working file: c_tests/plumhall/testing/exin/test1.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:23;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/test2.ex,v
Working file: c_tests/plumhall/testing/exin/test2.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:24;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/test3.ex,v
Working file: c_tests/plumhall/testing/exin/test3.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
```

ca Feb 28-Mar 6 1995.log
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:26; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/test4.ex,v
Working file: c_tests/plumhall/testing/exin/test4.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:27; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/test5.ex,v
Working file: c_tests/plumhall/testing/exin/test5.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:28; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/testall.ex,v
Working file: c_tests/plumhall/testing/exin/testall.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
          plumhall: 1.1.1.2
          plumhall5_0: 1.1.1.1
          PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2

date: 1995/02/28 23:18:29; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/exin/xxincl.h,v
Working file: c_tests/plumhall/testing/exin/xxincl.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:31; author: claseman; state: Exp; lines: +4 -4
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/all.ex,v
Working file: c_tests/plumhall/testing/limits/all.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:34; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/blknest.ex,v
Working file: c_tests/plumhall/testing/limits/blknest.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:35; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/blockid.ex,v
Working file: c_tests/plumhall/testing/limits/blockid.ex

```
                            ca Feb 28-Mar 6 1995.log
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:36;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/cases.ex,v
Working file: c_tests/plumhall/testing/limits/cases.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:38;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/condnest.ex,v
Working file: c_tests/plumhall/testing/limits/condnest.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:39;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/declmod.ex,v
Working file: c_tests/plumhall/testing/limits/declmod.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
```

```
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:40;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/dparens.ex,v
Working file: c_tests/plumhall/testing/limits/dparens.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:41;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/eident.ex,v
Working file: c_tests/plumhall/testing/limits/eident.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:42;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/enums.ex,v
Working file: c_tests/plumhall/testing/limits/enums.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
```

revision 1.1.1.2
date: 1995/02/28 23:18:43; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/exid.ex,v
Working file: c_tests/plumhall/testing/limits/exid.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:45; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/fparms.ex,v
Working file: c_tests/plumhall/testing/limits/fparms.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:46; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/generate.ex,v
Working file: c_tests/plumhall/testing/limits/generate.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:47; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/iident.ex,v

```
                              ca Feb 28-Mar 6 1995.log
Working file: c_tests/plumhall/testing/limits/iident.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:48;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/incnest.ex,v
Working file: c_tests/plumhall/testing/limits/incnest.ex
head: 1.1
branch: 1.1.1
locks: strict                                      .  .
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:49;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/limits.ex,v
Working file: c_tests/plumhall/testing/limits/limits.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:59;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/macros.ex,v
Working file: c_tests/plumhall/testing/limits/macros.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
```

         plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:51; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/members.ex,v
Working file: c_tests/plumhall/testing/limits/members.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        · plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:52; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/mparms.ex,v
Working file: c_tests/plumhall/testing/limits/mparms.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
         plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:18:53; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/object.ex,v
Working file: c_tests/plumhall/testing/limits/object.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
         plumhall: 1.1.1.2
         plumhall5_0: 1.1.1.1
         PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:

```
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:54;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/parens.ex,v
Working file: c_tests/plumhall/testing/limits/parens.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:55;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/stnest.ex,v
Working file: c_tests/plumhall/testing/limits/stnest.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:57;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/limits/string.ex,v
Working file: c_tests/plumhall/testing/limits/string.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:18:58;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
==============================================================================
```

```
                              ca Feb 28-Mar 6 1995.log
RCS file: /p/cvsroot/c_tests/plumhall/testing/stress/genexp95.ex,v
Working file: c_tests/plumhall/testing/stress/genexp95.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:19:05;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:19:06;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/stress/genexpr.ex,v
Working file: c_tests/plumhall/testing/stress/genexpr.ex
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:01;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/testing/stress/stress.ex,v
Working file: c_tests/plumhall/testing/stress/stress.ex
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 5;     selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:04;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/certify.chk,v
Working file: c_tests/plumhall/unixdst/certify.chk
```

head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:29; author: claseman; state: Exp; lines: +189 -189
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/chmodall,v
working file: c_tests/plumhall/unixdst/chmodall
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:18; author: claseman; state: Exp; lines: +2 -0
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/clib.h,v
working file: c_tests/plumhall/unixdst/clib.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:36; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/compil.h,v
working file: c_tests/plumhall/unixdst/compil.h
head: 1.2
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2

```
                              ca Feb 28-Mar 6 1995.log
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:16;  author: claseman;  state: Exp;  lines: +2 -1
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/config.ex,v
Working file: c_tests/plumhall/unixdst/config.ex
head: 1.6
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 8;      selected revisions: 2
description:
----------------------------
revision 1.4
date: 1995/03/01 00:59:26;  author: claseman;  state: Exp;  lines: +5 -5
PlumHall update
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:46;  author: claseman;  state: Exp;  lines: +6 -6
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/defs.h,v
Working file: c_tests/plumhall/unixdst/defs.h
head: 1.2
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:13;  author: claseman;  state: Exp;  lines: +66 -51
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/doexpr95,v
Working file: c_tests/plumhall/unixdst/doexpr95
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
```

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 2;      selected revisions: 2
description:
----------------------------
revision 1.1
date: 1995/02/28 23:19:47;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
----------------------------
revision 1.1.1.1
date: 1995/02/28 23:19:48;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/envsuite,v
Working file: c_tests/plumhall/unixdst/envsuite
head: 1.4
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 6;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:09;  author: claseman;  state: Exp;  lines: +1 -1
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/flags.h,v
Working file: c_tests/plumhall/unixdst/flags.h
head: 1.7
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 9;      selected revisions: 1
description:
----------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:26;  author: claseman;  state: Exp;  lines: +5 -3
plumhall update version 6.0
===============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/gotdiag.h,v
Working file: c_tests/plumhall/unixdst/gotdiag.h
head: 1.3
branch:
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 5;      selected revisions: 1
```

description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:31; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/hodefs.h,v
Working file: c_tests/plumhall/unixdst/hodefs.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:33; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/homachin.h,v
Working file: c_tests/plumhall/unixdst/homachin.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:34; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/machin.h,v
Working file: c_tests/plumhall/unixdst/machin.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:40; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
===

```
RCS file: /p/cvsroot/c_tests/plumhall/unixdst/makefile,v
Working file: c_tests/plumhall/unixdst/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:21;  author: claseman;  state: Exp;  lines: +4 -4
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/makefull,v
Working file: c_tests/plumhall/unixdst/makefull
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
--------------------------
revision 1.1
date: 1995/02/28 23:19:47;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
--------------------------
revision 1.1.1.1
date: 1995/02/28 23:19:48;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/phfile.h,v
Working file: c_tests/plumhall/unixdst/phfile.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
--------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:11;  author: claseman;  state: Exp;  lines: +3 -7
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/run.h,v
```

```
                           ca Feb 28-Mar 6 1995.log
working file: c_tests/plumhall/unixdst/run.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:23;  author: claseman;  state: Exp;  lines: +2 -2
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/sdutil.h,v
working file: c_tests/plumhall/unixdst/sdutil.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:42;  author: claseman;  state: Exp;  lines: +4 -4
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/simwchar.h,v
working file: c_tests/plumhall/unixdst/simwchar.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:44;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
================================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/conform/makefile,v
working file: c_tests/plumhall/unixdst/conform/makefile
head: 1.2
branch:
locks: strict
access list:
symbolic names:
```

        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:48; author: claseman; state: Exp; lines: +7 -29
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/conform/capacity/makefile,v
working file: c_tests/plumhall/unixdst/conform/capacity/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:51; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/conform/errauto/makefile,v
working file: c_tests/plumhall/unixdst/conform/errauto/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:19:54; author: claseman; state: Exp; lines: +10 -16
plumhall update version 6.0
==

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/conform/exprtest/makefile,v
working file: c_tests/plumhall/unixdst/conform/exprtest/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:

```
---------------------------
revision 1.1.1.2
date: 1995/02/28 23:19:56;  author: claseman;  state: Exp;  lines: +3 -3
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/pending/amend_1/dirname,v
Working file: c_tests/plumhall/unixdst/pending/amend_1/dirname
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
---------------------------
revision 1.1
date: 1995/02/28 23:20:16;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
---------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:17;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/pending/amend_1/makefile,v
Working file: c_tests/plumhall/unixdst/pending/amend_1/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
description:
---------------------------
revision 1.1
date: 1995/02/28 23:20:16;  author: claseman;  state: Exp;
branches:  1.1.1;
Initial revision
---------------------------
revision 1.1.1.1
date: 1995/02/28 23:20:17;  author: claseman;  state: Exp;  lines: +0 -0
plumhall update version 6.0
=============================================================================

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/pending/exprtest.95/dirname,v
Working file: c_tests/plumhall/unixdst/pending/exprtest.95/dirname
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;     selected revisions: 2
```

description:
----
revision 1.1
date: 1995/02/28 23:20:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:16; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/pending/exprtest.95/makefile,v
Working file: c_tests/plumhall/unixdst/pending/exprtest.95/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:16; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/pending/interps/dirname,v
Working file: c_tests/plumhall/unixdst/pending/interps/dirname
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:16; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/pending/interps/makefile,v
Working file: c_tests/plumhall/unixdst/pending/interps/makefile
head: 1.1
branch: 1.1.1
locks: strict

access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:16; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/cover/makefile,v
Working file: c_tests/plumhall/unixdst/testing/cover/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:20:02; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/egen/base_1.exp,v
Working file: c_tests/plumhall/unixdst/testing/egen/base_1.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:07; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:08; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/egen/base_2.exp,v
Working file: c_tests/plumhall/unixdst/testing/egen/base_2.exp
head: 1.1

branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:06; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/egen/base_3.exp,v
Working file: c_tests/plumhall/unixdst/testing/egen/base_3.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:05; author: claseman; state: Exp; .
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:06; author: claseman; state: Exp; lines: +0 -0
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/egen/base_4.exp,v
Working file: c_tests/plumhall/unixdst/testing/egen/base_4.exp
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 2;   selected revisions: 2
description:
----
revision 1.1
date: 1995/02/28 23:20:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
----
revision 1.1.1.1
date: 1995/02/28 23:20:06; author: claseman; state: Exp; lines: +0 -0

plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/egen/makefile,v
Working file: c_tests/plumhall/unixdst/testing/egen/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:20:04; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/egen/regress.sh,v
Working file: c_tests/plumhall/unixdst/testing/egen/regress.sh
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:20:06; author: claseman; state: Exp; lines: +2 -2
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/exin/makefile,v
Working file: c_tests/plumhall/unixdst/testing/exin/makefile
head: 1.1
branch: 1.1.1
locks: strict
.access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:20:08; author: claseman; state: Exp; lines: +7 -4
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/limits/makefile,v
Working file: c_tests/plumhall/unixdst/testing/limits/makefile
head: 1.1

branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:20:11; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/testing/stress/makefile,v
working file: c_tests/plumhall/unixdst/testing/stress/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
        plumhall: 1.1.1.2
        plumhall5_0: 1.1.1.1
        PlumHall: 1.1.1
keyword substitution: kv
total revisions: 3;   selected revisions: 1
description:
----
revision 1.1.1.2
date: 1995/02/28 23:20:13; author: claseman; state: Exp; lines: +3 -3
plumhall update version 6.0
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy1.s,v
working file: c_tests/tcc_builtins/src/_gcopy1.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:33; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy16.s,v
working file: c_tests/tcc_builtins/src/_gcopy16.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2

date: 1995/03/03 18:32:35; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
==

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy2.s,v
Working file: c_tests/tcc_builtins/src/_gcopy2.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:36; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
==

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy32.s,v
Working file: c_tests/tcc_builtins/src/_gcopy32.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:37; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
==

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy4.s,v
Working file: c_tests/tcc_builtins/src/_gcopy4.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:39; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
==

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy64.s,v
Working file: c_tests/tcc_builtins/src/_gcopy64.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----

revision 1.2
date: 1995/03/03 18:32:40; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy8.s,v
working file: c_tests/tcc_builtins/src/_gcopy8.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:42; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdeal1.s,v
working file: c_tests/tcc_builtins/src/_gdeal1.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:43; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdeal16.s,v
working file: c_tests/tcc_builtins/src/_gdeal16.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:45; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdeal2.s,v
working file: c_tests/tcc_builtins/src/_gdeal2.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:

```
---------------------------
revision 1.2
date: 1995/03/03 18:32:46;  author: claseman;  state: Exp;  lines: +1 -1
update to new opcodes
=============================================================================

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdeal32.s,v
Working file: c_tests/tcc_builtins/src/_gdeal32.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
---------------------------
revision 1.2
date: 1995/03/03 18:32:47;  author: claseman;  state: Exp;  lines: +1 -1
update to new opcodes
=============================================================================

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdeal4.s,v
Working file: c_tests/tcc_builtins/src/_gdeal4.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
---------------------------
revision 1.2
date: 1995/03/03 18:32:48;  author: claseman;  state: Exp;  lines: +1 -1
update to new opcodes
=============================================================================

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdeal8.s,v
Working file: c_tests/tcc_builtins/src/_gdeal8.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
---------------------------
revision 1.2
date: 1995/03/03 18:32:50;  author: claseman;  state: Exp;  lines: +1 -1
update to new opcodes
=============================================================================

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gshuffle1.s,v
Working file: c_tests/tcc_builtins/src/_gshuffle1.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
```

ca Feb 28-Mar 6 1995.log
description:
----
revision 1.2
date: 1995/03/03 18:32:51; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
==

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gshuffle16.s,v
Working file: c_tests/tcc_builtins/src/_gshuffle16.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:53; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
==

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gshuffle2.s,v
Working file: c_tests/tcc_builtins/src/_gshuffle2.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:54; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
==

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gshuffle32.s,v
Working file: c_tests/tcc_builtins/src/_gshuffle32.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:32:55; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
==

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gshuffle4.s,v
Working file: c_tests/tcc_builtins/src/_gshuffle4.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

```
                              ca Feb 28-Mar 6 1995.log
total revisions: 2;     selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/03/03 18:32:56;  author: claseman;  state: Exp;  lines: +1 -1
update to new opcodes
=============================================================================

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gshuffle8.s,v
Working file: c_tests/tcc_builtins/src/_gshuffle8.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/03/03 18:32:57;  author: claseman;  state: Exp;  lines: +1 -1
update to new opcodes
=============================================================================

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap1.s,v
Working file: c_tests/tcc_builtins/src/_gswap1.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/03/03 18:32:59;  author: claseman;  state: Exp;  lines: +1 -1
update to new opcodes
=============================================================================

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap16.s,v
Working file: c_tests/tcc_builtins/src/_gswap16.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;     selected revisions: 1
description:
----------------------------
revision 1.2
date: 1995/03/03 18:33:00;  author: claseman;  state: Exp;  lines: +1 -1
update to new opcodes
=============================================================================

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap2.s,v
Working file: c_tests/tcc_builtins/src/_gswap2.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
```

keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:33:01; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap32.s,v
Working file: c_tests/tcc_builtins/src/_gswap32.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:33:02; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap4.s,v
Working file: c_tests/tcc_builtins/src/_gswap4.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:33:05; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap64.s,v
Working file: c_tests/tcc_builtins/src/_gswap64.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:33:06; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
===

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap8.s,v
Working file: c_tests/tcc_builtins/src/_gswap8.s
head: 1.2
branch:
locks: strict
access list:

symbolic names:
keyword substitution: kv
total revisions: 2;   selected revisions: 1
description:
----
revision 1.2
date: 1995/03/03 18:33:07; author: claseman; state: Exp; lines: +1 -1
update to new opcodes
==

RCS file: /p/cvsroot/calliope/BOM,v
Working file: calliope/BOM
head: 4.170
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 4.170
keyword substitution: kv
total revisions: 460;   selected revisions: 1
description:
Bill of materials.
----
revision 4.154
date: 1995/03/02 00:46:47; author: bobm; state: Exp; lines: +2 -2
Release Target: calliope/doc
        cerberus.mif

Updates to Calliope's cerberus registers.
==

RCS file: /p/cvsroot/calliope/doc/BOM,v
Working file: calliope/doc/BOM
head: 10.12
branch:
locks: strict
access list:
symbolic names:
        b4_rich: 10.12
keyword substitution: kv
total revisions: 33;   selected revisions: 1
description:
releasebom adding BOM
----
revision 10.2
date: 1995/03/02 00:46:35; author: bobm; state: Exp; lines: +2 -2
Release Target: calliope/doc
        cerberus.mif

Updates to Calliope's cerberus registers.
==

RCS file: /p/cvsroot/calliope/doc/cerberus.mif,v
Working file: calliope/doc/cerberus.mif
head: 2.10
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10;   selected revisions: 2

```
                              ca Feb 28-Mar 6 1995.log
description:
----------------------------
revision 2.5
date: 1995/03/02 00:45:04;  author: bobm;  state: Exp;  lines: +385 -131
Added analog measurement details to octlet 31 [31:24].
----------------------------
revision 2.4
date: 1995/03/01 18:36:04;  author: bobm;  state: Exp;  lines: +7007 -47874
Corrections to octlet 14 test points.
=============================================================================
```